



## Product Catalog

# UNSTOPPABLE

## POWER





# Brand Introduction

At SENIX, we break barriers and shatter expectations by redefining and manufacturing outdoor power equipment and power tools with edgy innovation and relentless passion.

Whether you're an arborist, a landscaper, or a fearless DIY enthusiast, SENIX tools have been crafted with you in mind. We understand the grit, determination, and artistry that go into your craft, and that's why we've designed products that seamlessly extend your skills.

With cutting-edge technology, performance, and eco-friendly design options, we empower you to conquer any task at hand.

Join the movement - dare to be part of the SENIX family.



[senix.co](http://senix.co)



# Table of Contents

**Cordless Outdoor Power Equipment**  
X6 | 60V ..... #1  
2X2 | 40V ..... #6  
X2 | 20V ..... #9

**Petrol Outdoor Power Equipment**  
4QL ..... #23

**Corded Outdoor Power Equipment**  
AC-Corded ..... #28

**Accessories ..... #42**







WHAT DO WE STAND FOR?

COMFORTABLE EFFICIENT PROFESSIONAL LIGHT  
**EDGY** CONVENIENT AMERICAN USER-FRIENDLY  
CONFIDENT **POWERFUL** MUSCULAR BOLD  
**RELIABLE** SOLID **DURABLE** LOGICAL  
LASTING PRECISION QUALITY SAFETY **PURPOSEFUL** DETAIL  
STRONG **INNOVATIVE** NO-NONSENSE  
TOUGH  
UNIQUE PROTECT UNCLUTTERED MUSCULAR CLEAN  
TRUSTWORTHY VALUE GUARD SIMPLICITY PRACTICAL  
**CONFIDENT** CONSISTENT ELEGANT STYLE  
IMPACT MODERN INTERNATIONAL



# SENIX Power Lineup

From Lithium-ion battery-operated outdoor power equipment to power tools to our corded and petrol products, SENIX has a wide selection of tools to meet your needs.



## Embrace the Green, Unleash the Beast

Introducing the ultimate set of 60V outdoor power equipment tools and a cutting-edge battery platform engineered to fortify the landscaping game to tackle large yards and outdoor facilities, while championing the eco-conscious advantages of battery-operated tools. From precision lawn care to heavy-duty facility maintenance, our SENIX X6 cordless technology stands as our best-in-class platform, delivering SENIX's greatest power for every project.



## Twice the Power, Double the Results

Unlock a new level of power and performance with our 40V lineup. Harnessing the combined might of (2) 20V batteries, this category is designed to enhance and up the ante on your yard projects.



## Light On Pounds, Heavy On Power

Discover the ideal solution for your projects with our 20V SENIX Tools. From professionals to homeowners, whatever you seek, our range of offerings is tailored to cater to your unique needs.



## All Muscle, No Fuss

Patented 4QL technology. Unidirectional quantitative lubrication that prevents flooding, leaks, and keeps the motor lubricated in any direction. Featuring a 4-cycle engine that is lightweight, smooth, and powerful, and does not require mixing oil with petrol, the SENIX 4QL is our inaugural line of products.



## Hooked Up To Endless Power

Powerfully quiet. And quietly powerful. Corded outdoor power equipment tools mean quieter operation, low vibration, and reduced environmental impact without compromising the need for power.





**SENIX**

**X6**

**60V**

**LITHIUM-ION**



**EMBRACE THE GREEN**

**UNLEASH THE  
BEAST**



\*60V maximum initial voltage. 56V nominal voltage.



## Battery Specifications

- Easy to read fuel gauge quickly shows user how much power is left during product use and while charging.
- Intelligent power management optimizes individual battery cells for maximum power, performance, and runtime.
- Integrated heat dissipation protects battery from overheating so equipment runs longer at full power.
- Shock-resistant design protects batteries from drops.
- Compatible with all SENIX X6 equipment and chargers.
- Vacuum coating process, dustproof and waterproof.
- PCB and cell as a whole.



|                         | B30X6 | B40X6 | B60X6 | B80X6 | B120X6 |
|-------------------------|-------|-------|-------|-------|--------|
| <b>Voltage</b>          | 60V   | 60V   | 60V   | 60V   | 60V    |
| <b>Battery Capacity</b> | 3.0Ah | 4.0Ah | 6.0Ah | 8.0Ah | 12.0Ah |
| <b>Battery power</b>    | 168Wh | 224Wh | 336Wh | 448Wh | 672Wh  |
| <b>Cell arrangement</b> | 15S1P | 15S2P | 15S2P | 15S2P | 15S3P  |
| <b>Cell type</b>        | 21700 | 18650 | 21700 | 21700 | 21700  |

## Specifications or Features

- Intelligent battery control system monitors each cell's charge and temperature to deliver the quickest, most efficient charge.
- Fan-cooled charging system prevents battery and charger from overheating.
- Charging indicator lights can monitor charging status in real time and alarm abnormal status in real time.
- Charges all X6 60V batteries.



CHX6-L-EU 3.0A



CHQX6-EU 5.0A



CHQX6-M-EU 8.0A



CHDX6-M-EU 8.0A  
Dual-port charger

# 60V OUTDOOR POWER EQUIPMENT

Best in class platform. Innovatively engineered for large to small yards and outdoor facilities. Experience the freedom of cordless without compromising on power.



Best electric lawn mower for small yards

**BRUSHLESS™**

**53cm (21") RWD Self Propelled Mower**  
**LPSX6-H-EU**

|                           |  |
|---------------------------|--|
| <b>Voltage</b>            | 60V                                    |
| <b>Mowing Functions</b>   | 3-in-1 (Mulch, Bag and Side Discharge) |
| <b>Cutting Capacity</b>   | True 53cm (21") Blade Length           |
| <b>Height Adjustment</b>  | 38-100mm(1.5"-4"), 7 -position         |
| <b>Drive Type</b>         | Variable Speed RWD Self-propelled      |
| <b>Collection Bag</b>     | 60L(1.7bu)                             |
| <b>Runtime</b>            | 45 minutes(8.0Ah Battery)              |
| <b>Weight (Tool Only)</b> | 27.7kg                                 |



**BRUSHLESS™**

**53cm (21") AWD Self Propelled Mower**  
**LPSX6-H1-EU**

|                           |  |
|---------------------------|--|
| <b>Voltage</b>            | 60V                                    |
| <b>Mowing Functions</b>   | 3-in-1 (Mulch, Bag and Side Discharge) |
| <b>Cutting Capacity</b>   | True 53cm(21") Dual Blade Length       |
| <b>Height Adjustment</b>  | 38-100mm(1.5"-4"), 7 -position         |
| <b>Drive Type</b>         | Variable Speed AWD Self-propelled      |
| <b>Collection Bag</b>     | 60L(1.7bu)                             |
| <b>Runtime</b>            | 45 minutes(8.0Ah Battery)              |
| <b>Weight (Tool Only)</b> | 27.7kg                                 |



**BRUSHLESS™**

**53cm (21") Push Mower**  
**LPPX6-H-EU**

|                           |  |
|---------------------------|--|
| <b>Voltage</b>            | 60V                                    |
| <b>Motor Type</b>         | 1200W Brushless                        |
| <b>No Load Speed</b>      | 2600RPM/2800RPM/3000RPM                |
| <b>Mowing Function</b>    | 3-in-1 (Mulch, Bag and Side Discharge) |
| <b>Cutting Capacity</b>   | 53cm                                   |
| <b>Height Adjustment</b>  | 38-100mm, 7-position                   |
| <b>Wheel Size (F/R)</b>   | 20/25cm                                |
| <b>Collection Bag</b>     | 60L                                    |
| <b>Runtime</b>            | 35 minutes(6.0Ah Battery)              |
| <b>Weight (Tool Only)</b> | 25kg                                   |



**BRUSHLESS™**

**60V 1614m³/h(950CFM) Backpack Blower**  
**BLBX6-M-EU**

|                           |                 |
|---------------------------|-----------------|
| <b>Voltage</b>            | 60V             |
| <b>Rated Output Power</b> | 2400W           |
| <b>Maximum Wind Speed</b> | 225km/h(140MPH) |
| <b>Max Air Volume</b>     | 950CFM          |
| <b>Weight (Tool Only)</b> | 7.2kg           |




**BRUSHLESS™**
**60V 40cm(16") Chainsaw  
CSX6-M-EU**

|                           |             |
|---------------------------|-------------|
| <b>Voltage</b>            | 60V         |
| <b>No-Load Speed</b>      | 0-14,000RPM |
| <b>Chain Speed</b>        | 0-26m/s     |
| <b>Chain Pitch</b>        | 8.3mm       |
| <b>Chain/ Bar Length</b>  | 40cm(16")   |
| <b>Weight (Tool Only)</b> | 3.5kg       |


**BRUSHLESS™**
**60V 45cm(18") Chainsaw  
CSX6-M1-EU**

|                           |             |
|---------------------------|-------------|
| <b>Voltage</b>            | 60V         |
| <b>No-Load Speed</b>      | 0-14,000RPM |
| <b>Chain Speed</b>        | 0-26m/s     |
| <b>Chain Pitch</b>        | 8.3mm       |
| <b>Chain/ Bar Length</b>  | 45cm(18")   |
| <b>Weight (Tool Only)</b> | 3.7kg       |


**BRUSHLESS™**
**60V 25cm(10") Pole Saw  
CSPX6-M-EU**

|                               |            |
|-------------------------------|------------|
| <b>Voltage</b>                | 60V        |
| <b>No-Load Speed</b>          | 0-11000RPM |
| <b>Chain Speed</b>            | 0-20m/s    |
| <b>Chain &amp; Bar Length</b> | 25cm (10") |
| <b>Adjustment Range</b>       | 1.5m-2.8m  |
| <b>Weight (Tool Only)</b>     | 3.5kg      |


**BRUSHLESS™**
**60V 1380m³/h (810CFM)  
Leaf Blower  
BLAX6-M1-EU**

|                           |             |
|---------------------------|-------------|
| <b>Voltage</b>            | 60V         |
| <b>No-Load Speed</b>      | 0-25,000RPM |
| <b>Air Speed</b>          | 270km/h     |
| <b>Air Volume</b>         | 1380m³/h    |
| <b>Weight (Tool Only)</b> | 2.4kg       |


**BRUSHLESS™**
**60V 69cm (27-1/4")  
Hedge Trimmer  
HTX6-M1-EU**

|                           |                |
|---------------------------|----------------|
| <b>Voltage</b>            | 60V            |
| <b>Strokes Per Minute</b> | 0-3400SPM      |
| <b>Blade Length</b>       | 690mm(27-1/4") |
| <b>Cutting Capacity</b>   | 33.5mm(1-1/4") |
| <b>Weight (Tool Only)</b> | 3.9kg          |


**BRUSHLESS™**
**60V 40cm (16")  
String Trimmer  
GTX6-M-EU**

|                            |                  |
|----------------------------|------------------|
| <b>Voltage</b>             | 60V              |
| <b>Max. Rotation Speed</b> | 6000RPM          |
| <b>ECO Mode Speed</b>      | 5000RPM          |
| <b>Cutting Capacity</b>    | 40cm(16")        |
| <b>Line Type</b>           | 2.4mm(0.095") x2 |
| <b>Line Length</b>         | 4m               |
| <b>Feeding System</b>      | Bump             |
| <b>Weight (Tool Only)</b>  | 3.4kg            |



**BRUSHLESS™**

**X6 60V Brushless 38cm (15")  
Snow Shovel**

**STX6-M-EU**



**BRUSHLESS™**

**X6 60V Brushless 53cm (21")  
Snow blower**

**STX6-H-EU**

|                                  |                         |
|----------------------------------|-------------------------|
| <b>Voltage</b>                   | 60V                     |
| <b>Rated Output Power</b>        | 1500W Brushless         |
| <b>No Load Speed</b>             | ECO 1600RPM/2300RPM     |
| <b>Maximum Clearing Width</b>    | 38cm(15")               |
| <b>Maximum Plow Depth</b>        | 16cm(6")                |
| <b>Maximum Throw Distance</b>    | 6m-10m(20-33ft)         |
| <b>Wheel Size</b>                | 16cm(6")                |
| <b>Maximum Clearing Capacity</b> | 272kg/min (600 lbs/min) |
| <b>Maximum Working Time</b>      | 40min/4ah               |
| <b>Weight (Tool Only)</b>        | 8.3kg                   |

|                                  |                        |
|----------------------------------|------------------------|
| <b>Voltage</b>                   | 60V                    |
| <b>Rated Output Power(Motor)</b> | 3500W Brushless        |
| <b>No Load Speed</b>             | 1700-2200RPM           |
| <b>Maximum Clearing Width</b>    | 53cm(21")              |
| <b>Maximum Plow Depth</b>        | 33cm(13")              |
| <b>Maximum Throw Distance</b>    | 10.7m-13.7m(35-45Ft)   |
| <b>Handle Type</b>               | Heated Handles         |
| <b>Auger Material</b>            | Rubber-Tipped Steel    |
| <b>Maximum Clearing Capacity</b> | 680kg/min(1500lbs/min) |
| <b>Maximum Working Time</b>      | 45min/2*8ah            |
| <b>Weight (Tool Only)</b>        | 24.0kg                 |





ZTR Lawnmowers

## 60V 107cm (42") Zero Turn Ride-on Mower

**ZTRX6-M-EU**

APP CONNECTIVITY  
(BLUETOOTH)



LCD Screen & Control Panel  
Integrated battery compartment  
360-degree illumination  
Integral segmented structure  
Replaceable design of blade deck  
Blade-deck height auxiliary adjustment



## 60V 137cm (54") Zero Turn Ride-on Mower

**ZTRX6-M1-EU**

APP CONNECTIVITY  
(BLUETOOTH)



LCD Screen & Control Panel  
Integrated battery compartment  
360-degree illumination  
Integral segmented structure  
Replaceable design of blade deck  
Blade-deck height auxiliary adjustment



## 60V 107cm (42") Hybrid Zero Turn Ride-on Mower

**ZTRX6-H-EU**

APP CONNECTIVITY  
(BLUETOOTH)



Powerful gasoline generator  
Three modes optional: EV, Hybrid, Gasoline power  
LCD Screen & Control Panel  
Integrated battery compartment  
360-degree illumination  
Ultimate comfort suspension seat  
Integral segmented structure  
Replaceable design of blade deck

## 60V 137cm (54") Hybrid Zero Turn Ride-on Mower

**ZTRX6-H1-EU**

APP CONNECTIVITY  
(BLUETOOTH)



Powerful gasoline generator  
Three modes optional: EV, Hybrid, Gasoline power  
LCD Screen & Control Panel  
Integrated battery compartment  
360-degree illumination  
Ultimate comfort suspension seat  
Integral segmented structure  
Replaceable design of blade deck



## ZTR Lawnmowers

|  | ZTRX6-M-EU                                   | ZTRX6-M1-EU                              | ZTRX6-H-EU                                   | ZTRX6-H1-EU                              |
|--|--|--|--|--|
| <b>Deck Size</b>                           | <b>107cm(42")</b>                            | <b>137cm (54")</b>                       | <b>107cm(42")</b>                            | <b>137cm (54")</b>                       |
| Rated Voltage                              | 60   | 60                                       | 60   | 60                                       |
| <b>GAS-GENERATOR</b>                       | <b>No</b>                                    | <b>No</b>                                | <b>Yes</b>                                   | <b>Yes</b>                               |
| Turning Radius                             | 0  | 0  | 0  | 0  |
| <b>Max. Battery Quantity (pcs) Equiped</b> | <b>6</b>                                     | <b>6</b>                                 | <b>4</b>                                     | <b>4</b>                                 |
| Battery Capacity (optional)                | 6Ah/8Ah/12Ah                                 | 6Ah/8Ah/12Ah                             | 6Ah/8Ah/12Ah                                 | 6Ah/8Ah/12Ah                             |
| Driving Speed                              | position 1                                   | 3.2km/h (2mph)                           | 3.2km/h (2mph)                               | 3.2km/h (2mph)                           |
|  | position 2                                   | 6.4km/h (4mph)                           | 6.4km/h (4mph)                               | 6.4km/h (4mph)                           |
|  | position 3                                   | 9.6km/h (6mph)                           | 9.6km/h (6mph)                               | 9.6km/h (6mph)                           |
|  | position 4                                   | 12.8km/h (8mph)                          | 12.8km/h (8mph)                              | 12.8km/h (8mph)                          |
| Cutting-height adjustment                  | 2.5-11.4cm (1-4.5inch)<br>(15 positions)     | 2.5-11.4cm (1-4.5inch)<br>(15 positions) | 2.5-11.4cm (1-4.5inch)<br>(15 positions)     | 2.5-11.4cm (1-4.5inch)<br>(15 positions) |
| Height Adjust Mode                         | Manual                                       | Manual                                   | Manual                                       | Manual                                   |
| <b>Cutting Areas</b>                       | <b>8094m<sup>2</sup> (6*12Ah)</b>            | <b>12140m<sup>2</sup> (6*12Ah)</b>       | <b>20234m<sup>2</sup> (4*12Ah)</b>           | <b>24281m<sup>2</sup> (4*12Ah)</b>       |
| Driving Models                             | ECO、TURBO                                    | ECO、TURBO                                | ECO、TURBO                                    | ECO、TURBO                                |
| <b>Function</b>                            | <b>mulching, bagging,<br/>side-discharge</b> | <b>mulching,<br/>side-discharge</b>      | <b>mulching, bagging,<br/>side-discharge</b> | <b>mulching,<br/>side-discharge</b>      |



VS



VS



## Hybrid VS Petrol

## Hybrid Mower VS Petrol

1/ Compared to the petrol ZTR, the Hybrid ZTR is more economical quieter and enviromental-friendly to use.

2/ Compared to the petrol ZTR, the hybrid ZTR has a simpler design structure, which equals large labour saving during maintenance.

3/ The Hybrid ZTR is powered and controlled by an electric motor and operating system, providing users with an enhanced driving experience.

## Hybrid VS Electric

## Hybrid Mower VS Pure Battery Mower

1/ Compared to the battery powered ZTR, the Hybrid has longer run time, with a working time range of 6-8 hours of battery and fuel power!

2/ Compared to the battery powered ZTR, the hybrids petrol generator and battery simultaneously supply power to the motor, providing greater mowing power than a pure electric vehicle.

3/ The petrol generator of the ZTR provides power to the motor while charging the X6 battery packs, these can be used immediately with full charge on the entire X6 range!



# 2X2

# 40V<sup>\*</sup>

TM

 20V

+

 20V

LITHIUM-ION

2X2 40V

## 2X THE POWER

Elevate your yard work with 40V power. Combine (2) SENIX 20V batteries to unlock SENIX 40V powerhouse, delivering increased power & longer runtime for challenging tasks.



SENIX 20V BATTERY TECHNOLOGY:  
COMPATIBLE AND INTERCHANGEABLE WITH ALL SENIX 40V PRODUCTS WHEN USING TWO BATTERIES

# 2X2<sup>(20+20V)</sup> 40V

As an extension of our 20V lineup, tap into the versatility of our 40V lineup. Ideal for all residential tasks needing a boost in power.



**BRUSHLESS™**

**40V 38cm (15") Push Mower  
LPPX2-M4-EU**

|                          |                     |
|--------------------------|---------------------|
| <b>Voltage</b>           | 40V                 |
| <b>Mowing Functions</b>  | 2-in-1(Bag, Mulch)  |
| <b>Cutting Capacity</b>  | 38cm(15")           |
| <b>Height Adjustment</b> | 25-75mm,6 positions |
| <b>Collection Bag</b>    | 45L                 |
| <b>Weight(Tool Only)</b> | 14.5kg              |



**BRUSHLESS™**

**40V 43cm (17") Push Mower  
LPPX2-M5-EU**

|                          |                    |
|--------------------------|--------------------|
| <b>Voltage</b>           | 40V                |
| <b>Mowing Functions</b>  | 2-in-1(Bag, Mulch) |
| <b>Cutting Capacity</b>  | 43cm (17")         |
| <b>Height Adjustment</b> | 25-75mm,6-position |
| <b>Collection Bag</b>    | 50L                |
| <b>Weight(Tool Only)</b> | 16kg               |



**BRUSHLESS™**

**40V 46cm (18") Push Mower  
LSPX2-H-EU**

|                          |                                       |
|--------------------------|---------------------------------------|
| <b>Voltage</b>           | 40V                                   |
| <b>Mowing Functions</b>  | 3-in-1(Mulch, Bag and Side Discharge) |
| <b>Cutting Capacity</b>  | 46cm(18")                             |
| <b>Height Adjustment</b> | 25-80mm,7 positions                   |
| <b>Collection Bag</b>    | 55L                                   |
| <b>Weight(Tool Only)</b> | 25.6kg                                |



**X2 40V Cordless 38cm (15")  
Lawn Mower  
LPPX2-M1-EU**

|                          |                     |
|--------------------------|---------------------|
| <b>Motor Type</b>        | Brushed             |
| <b>No-Load Speed</b>     | ECO 3000RPM/3500RPM |
| <b>Cutting Capacity</b>  | 38cm(15")           |
| <b>Height Adjustment</b> | 25-75mm,6 positions |
| <b>Collection Bag</b>    | 45L                 |
| <b>Weight(Tool Only)</b> | 13.3kg              |


**BRUSHLESS™**
**40V 43cm (17") Self-propelled Mower**
**LPSX2-M-EU**

|                          |                                      |
|--------------------------|--------------------------------------|
| <b>Voltage</b>           | 40V                                  |
| <b>Mowing Functions</b>  | 2-in-1(Bag, Mulch)                   |
| <b>Cutting Capacity</b>  | 43cm(17")                            |
| <b>Height Adjustment</b> | 25-75mm,6 positions                  |
| <b>Collection Bag</b>    | 50L                                  |
| <b>Weight(Tool Only)</b> | 20kg                                 |
| <b>Drive Type</b>        | Variable Speed RWD<br>Self-propelled |


**BRUSHLESS™**
**40V 46cm (18") Self-propelled Mower**
**LSSX2-H-EU**

|                          |  |
|--------------------------|--|
| <b>Voltage</b>           | 40V                                    |
| <b>Mowing Functions</b>  | 3-in-1 (Mulch, Bag and Side Discharge) |
| <b>Cutting Capacity</b>  | 46cm (18")                             |
| <b>Height Adjustment</b> | 25-80mm,7 positions                    |
| <b>Collection Bag</b>    | 55L                                    |
| <b>Weight(Tool Only)</b> | 28.1kg                                 |
| <b>Drive Type</b>        | Variable Speed RWD<br>Self-propelled   |


**BRUSHLESS™**
**40V 40cm (16") Chainsaw**
**CSX2-M2-EU**

|                           |            |
|---------------------------|------------|
| <b>Voltage</b>            | 40V        |
| <b>No-Load Speed</b>      | 11000RPM   |
| <b>Chain Speed</b>        | 20m/s      |
| <b>Chain/ Bar Length</b>  | 40cm (16") |
| <b>Weight (Tool Only)</b> | 3.2kg      |


**BRUSHLESS™**
**40V 50cm(20") Hedge Trimmer**
**HTX2-M3-EU**


|                           |            |
|---------------------------|------------|
| <b>Voltage</b>            | 40V        |
| <b>No Load Speed</b>      | 3400SPM    |
| <b>Cutting Length</b>     | 50cm (20") |
| <b>Cutting Capacity</b>   | 25.4mm     |
| <b>Weight (Tool Only)</b> | 2.9kg      |





**X2 40V Cordless 33cm (13'')  
Snow Shovel**  
**STX2-L-EU**

|                               |                       |
|-------------------------------|-----------------------|
| <b>Voltage</b>                | 40V                   |
| <b>Rated Output Power</b>     | 750W Brushed          |
| <b>No Load Speed</b>          | 1500/1700RPM          |
| <b>Clearing Width</b>         | 33cm(13'')            |
| <b>Depth of Snow Cut</b>      | 15cm(5.9'')           |
| <b>Throw Distance</b>         | 3-6m(10-20Ft)         |
| <b>Max. Clearing Capacity</b> | 130kg/min(286Lbs/min) |
| <b>Max.Working Time</b>       | 20min/2*4ah           |
| <b>Weight (Tool Only)</b>     | 5.3kg                 |



**BRUSHLESS™**  
**X2 40V Cordless  
53cm(21'') Snow Blower**  
**STX2-M1-EU**

|                                  |                       |
|----------------------------------|-----------------------|
| <b>Voltage</b>                   | 40V                   |
| <b>Rated Output Power(Motor)</b> | 1800W Brushless       |
| <b>No Load Speed</b>             | 1400-1800RPM          |
| <b>Clearing Width</b>            | 53cm(21'')            |
| <b>Depth of Snow Cut</b>         | 30cm(12'')            |
| <b>Throw Distance</b>            | 6-10m(20-33Ft)        |
| <b>Max. Clearing Capacity</b>    | 300kg/min(661lbs/min) |
| <b>Max.Working Time</b>          | 15min/2*5ah           |
| <b>Weight (Tool Only)</b>        | 16.3kg                |



**BRUSHLESS™**  
**X2 40V Brushless 46cm (18'')  
Snow Blower**  
**STX2-M-EU**

|                               |                       |
|-------------------------------|-----------------------|
| <b>Voltage</b>                | 40V                   |
| <b>Rated Output Power</b>     | 1500W Brushless       |
| <b>No Load Speed</b>          | 1400-1800RPM          |
| <b>Clearing Width</b>         | 46cm(18'')            |
| <b>Depth of Snow Cut</b>      | 20cm(8'')             |
| <b>Throw Distance</b>         | 6-10m(20-33Ft)        |
| <b>Max. Clearing Capacity</b> | 209kg/min(460lbs/min) |
| <b>Max.Working Time</b>       | 18min                 |
| <b>Weight (Tool Only)</b>     | 14.3kg                |



**BRUSHLESS™**  
**40V 1190 m³/h (700CFM)  
Leaf Blower**  
**BLAX2-M2-EU**

|                           |   |
|---------------------------|---|
| <b>Voltage</b>            | 40V   |
| <b>Wind Speed</b>         | 235km/h(5Ah)<br>186km/h(2.5Ah)<br>1190m³/h(5Ah) |
| <b>Wind Volume</b>        | 935m³/h(2.5Ah)                                  |
| <b>Weight (Tool Only)</b> | 2.7kg   |



**BRUSHLESS™**  
**40V 70Bar (1015PSI)  
Portable Washer**  
**HPWX2-M2-EU**

|                           |                  |
|---------------------------|------------------|
| <b>Voltage</b>            | 40V              |
| <b>Rated Pressure</b>     | 70Bar (1015 PSI) |
| <b>Bucket Volume</b>      | 25L              |
| <b>Working Flow</b>       | 3.8L/min         |
| <b>Weight (Tool Only)</b> | 9kg              |



 **SENIX**

**X2**

**20V**  LITHIUM-ION



**LIGHT ON POUNDS**

**HEAVY ON  
POWER**



## 20V Battery & Charger

**B20X2****B25X2****B40X2****B50X2****B60X2****B80X2**

|                          |        |        |         |         |         |         |
|--------------------------|--------|--------|---------|---------|---------|---------|
| <b>Voltage</b>           | 20V    | 20V    | 20V     | 20V     | 20V     | 20V     |
| <b>Battery Chemistry</b> | Li-ion | Li-ion | Li-ion  | Li-ion  | Li-ion  | Li-ion  |
| <b>Battery Capacity</b>  | 2.0Ah  | 2.5Ah  | 4.0Ah   | 5.0Ah   | 6.0Ah   | 8.0Ah   |
| <b>Weight</b>            | 0.4 kg | 0.4 kg | 0.67 kg | 0.67 kg | 1.06 kg | 1.08 kg |

## Charging time parameter table

|  | 2.0Ah  | 2.5Ah  | 4.0Ah   | 5.0Ah   | 6.0Ah   | 8.0Ah   |
|--|--------|--------|---------|---------|---------|---------|
| <b>2.0A Charger</b>  | 65 min | 85 min | 135 min | 160 min | 195 min | 260 min |
| <b>4.0A Charger</b>  | 35 min | 45 min | 65 min  | 85 min  | 105 min | 140 min |
| <b>6.0A Charger</b>  | 35 min | 45 min | 50min   | 60 min  | 75 min  | 100 min |
| <b>6.0A Dual-port charger</b><br>Charging two batteries at same time | 70 min | 90 min | 100 min | 120 min | 150 min | 200 min |
| <b>6.0A Dual-port charger</b><br>Charging only one battery           | 35 min | 45 min | 50 min  | 60 min  | 75 min  | 100 min |

## 20V Charger

Throughout the charging process, the charger designed by Atech has a built-in chip communication in the battery pack which actively controls current, voltage and temperature to extend the life of the battery.

**CHX2 2.0A****CHQX2 4.0A****CHQX2-M-EU 6.0A****CHDX2-M-EU 6.0A**  
Dual-port charger



# 20V OUTDOOR POWER EQUIPMENT

Perfectly tailored to swiftly tackle tasks in the yard.



**BRUSHLESS™**

**20V 25cm (10") Chainsaw  
CSX2-M1-EU**

|                               |            |
|-------------------------------|------------|
| <b>Voltage</b>                | 20V        |
| <b>Chain Speed</b>            | 11m/s      |
| <b>Oiler</b>                  | Automatic  |
| <b>Chain &amp; Bar Length</b> | 25cm (10") |
| <b>Weight (Tool Only)</b>     | 2.5 kg     |



**BRUSHLESS™**

**20V 25cm (10") Chainsaw  
CSX2-M-EU**

|                               |            |
|-------------------------------|------------|
| <b>Voltage</b>                | 20V        |
| <b>Chain Speed</b>            | 8m/s       |
| <b>Oiler</b>                  | Automatic  |
| <b>Chain &amp; Bar Length</b> | 25cm (10") |
| <b>Weight (Tool Only)</b>     | 3.2kg      |



**20V Cordless 570m³/h (335 CFM)  
Blower  
BLAX2-M-EU**

|                           |  |
|---------------------------|--|
| <b>Voltage</b>            | 20V  |
| <b>Wind Speed</b>         | 35m/s /5.0Ah /80MPH<br>30m/s/2.5Ah /70MPH        |
| <b>Wind Volume</b>        | 595m³/h/5.0Ah (350CFM)<br>510m³/h/2.5Ah (300CFM) |
| <b>Weight (Tool Only)</b> | 2.1kg  |



**BRUSHLESS™**

**20V 750m³/h (450CFM) Blower  
BLAX2-M3-EU**

|                           |  |
|---------------------------|--|
| <b>Voltage</b>            | 20V  |
| <b>Wind Speed</b>         | 45m/s /5.0Ah /100MPH<br>35m/s/2.5Ah /80MPH         |
| <b>Wind Volume</b>        | 765m³/h(5.0Ah) (450CFM)<br>595m³/h(2.5Ah) (350CFM) |
| <b>Weight (Tool Only)</b> | 2.46kg   |



**20V Cordless 26cm (10'')**  
**String Trimmer**  
**GTX2-L-EU**

|                           |                |
|---------------------------|----------------|
| <b>Voltage</b>            | 20V            |
| <b>No-Load Speed</b>      | 8500RPM        |
| <b>Cutting Capacity</b>   | 26cm (10'')    |
| <b>Line Type</b>          | 1.6mm x1       |
| <b>Feeding System</b>     | Semi-automatic |
| <b>Weight (Tool Only)</b> | 1.7kg          |



**20V Cordless 26cm (10'')**  
**String Trimmer**  
**GTX2-M-EU**

|                           |                |
|---------------------------|----------------|
| <b>Voltage</b>            | 20V            |
| <b>No-Load Speed</b>      | 8500RPM        |
| <b>Cutting Capacity</b>   | 26cm (10'')    |
| <b>Line Type</b>          | 1.6mm x1       |
| <b>Feeding System</b>     | Semi-automatic |
| <b>Weight (Tool Only)</b> | 2.0kg          |



**20V Cordless 30.5cm (12'')**  
**String Trimmer**  
**GTX2-M2-EU**

|                           |                |
|---------------------------|----------------|
| <b>Voltage</b>            | 20V            |
| <b>No-Load Speed</b>      | 7000RPM        |
| <b>Cutting Capacity</b>   | 30.5cm (12'')  |
| <b>Line Type</b>          | 1.6mm x1       |
| <b>Feeding System</b>     | Semi-automatic |
| <b>Weight (Tool Only)</b> | 2.15kg         |



**20V cordless 45cm (18'')**  
**Pole Hedge Trimmer**  
**HTPX2-M-EU**

|                           |                                    |
|---------------------------|------------------------------------|
| <b>Voltage</b>            | 20V                                |
| <b>Cutting Length</b>     | 45cm (18'')                        |
| <b>Tooth Space</b>        | 28mm                               |
| <b>Cutting Capacity</b>   | 20mm                               |
| <b>Strokes Per Minute</b> | 2300SPM                            |
| <b>Collapsing Height</b>  | 1.85 - 2.35 m                      |
| <b>Angle Modulation</b>   | -60° / -30° / 0° / 30° / 60° / 90° |
| <b>Blade Type</b>         | Laser-cut with Alu support         |
| <b>Weight (Tool only)</b> | 3.4kg                              |



**20V 32cm(12.6'')**  
**Push Mower**  
**LPPX2-L-EU**

|                           |                      |
|---------------------------|----------------------|
| <b>Voltage</b>            | 20V                  |
| <b>Mowing Functions</b>   | 2-in-1(Bag, Mulch)   |
| <b>Cutting Capacity</b>   | 32cm (12.6'')        |
| <b>Height Adjustment</b>  | 25-65mm, 5 positions |
| <b>Collection Bag</b>     | 30L                  |
| <b>Weight (Tool Only)</b> | 10.0kg               |



**BRUSHLESS™**  
**20V 38cm (15'')**  
**String Trimmer**  
**GTX2-M3-EU**

|                           |                    |
|---------------------------|--------------------|
| <b>Voltage</b>            | 20V                |
| <b>No-Load Speed</b>      | 6200RPM / 4900RPM  |
| <b>Cutting Capacity</b>   | 38cm (15'')        |
| <b>Weight (Tool Only)</b> | 3.6kg              |
| <b>Line Type</b>          | 2.0mm x2(0.08in*2) |
| <b>Feeding System</b>     | Bump               |

**BRUSHLESS™**
**20V 12cm (5") Pruning Saw**  
**CSX2-M5-EU**

|                               |           |
|-------------------------------|-----------|
| <b>Voltage</b>                | 20V       |
| <b>No-Load Speed</b>          | 4500RPM   |
| <b>Chain Speed</b>            | 8m/s      |
| <b>Chain &amp; Bar Length</b> | 12cm (5") |
| <b>Weight (Tool Only)</b>     | 1.1 kg    |

**BRUSHLESS™**
**20V 38mm (1.5") Pruning Shear**  
**GPSX2-M-EU**

|                           |                    |
|---------------------------|--------------------|
| <b>Voltage</b>            | 20V                |
| <b>Cut Capacity</b>       | 38mm (1.5")        |
| <b>Working Time</b>       | 990cuts/2.5Ah/28mm |
| <b>Weight (Tool Only)</b> | 1.05kg             |


**20V Cordless 20cm (8") Grass Shear/Shrubber**  
**GSX2-M-EU**

|                           |           |
|---------------------------|-----------|
| <b>Voltage</b>            | 20V       |
| <b>Grass Shear</b>        | 100mm     |
| <b>Hedge Shear</b>        | 20cm (8") |
| <b>Weight (Tool Only)</b> | 0.9kg     |


**7.2V Cordless 96mm (4") Grass Shear**  
**GSS2-L-EU**

|                         |             |
|-------------------------|-------------|
| <b>Power Source</b>     | Lithium-ion |
| <b>Battery Voltage</b>  | 7.2V        |
| <b>Battery Capacity</b> | 2000mAh     |
| <b>Grass Shear</b>      | 96mm        |
| <b>Hedge Shear</b>      | 150mm       |


**20V Cordless 25cm (10") Pole Saw**  
**CSPX2-M-EU**

|                               |                             |
|-------------------------------|-----------------------------|
| <b>Voltage</b>                | 20V                         |
| <b>Chain Speed</b>            | 5.2m/s                      |
| <b>Chain &amp; Bar Length</b> | 25cm (10")                  |
| <b>Angle Modulation</b>       | -60° / -30° / 0° / 30° / 60 |
| <b>Collapsing Length</b>      | 1.85 - 2.3m                 |
| <b>Weight (Tool Only)</b>     | 3.0kg                       |


**20V Cordless 47cm (18-1/2") Hedge Trimmer**  
**HTX2-M-EU**

|                           |                            |
|---------------------------|----------------------------|
| <b>Voltage</b>            | 20V                        |
| <b>Cutting Length</b>     | 47cm (18")                 |
| <b>Tooth Space</b>        | 28mm                       |
| <b>Cutting Capacity</b>   | 20mm                       |
| <b>Strokes Per Minute</b> | 2600SPM                    |
| <b>Blade Type</b>         | Laser-cut with Alu support |
| <b>Weight (Tool Only)</b> | 2.5kg                      |


**3.6V Cordless 80mm (3") Grass Shear**  
**GSS1-L-EU**

|                     |       |
|---------------------|-------|
| <b>Voltage</b>      | 3.6V  |
| <b>Grass Shear</b>  | 80mm  |
| <b>Hedge Shear</b>  | 115mm |
| <b>Working Time</b> | 20min |





## Handheld Power Tools

Empower your projects with precision and efficiency using our extensive selection of power tools. From robust drills and impacts to versatile saws, our power tool category offers a wide range of high-performance devices to suit all projects.



**BRUSHLESS™**

### 20V 160Nm Impact Driver PDIX2-M4-EU

|                              |  |
|------------------------------|--|
| <b>Voltage</b>               | 20V  |
| <b>Chuck Size</b>            | 6.35mm (1/4")  |
| <b>No Load Speed</b>         | 0-2800RPM  |
| <b>Max. Fastening Torque</b> | 160Nm  |
| <b>Fastening Capacities</b>  | Machine screw: M4-M8 (5/32 - 5/16")<br>Standard bolt: M5 - M16 (3/16 - 5/8")<br>High tensile bolt: M5 - M14 (3/16 - 9/16") |
| <b>Weight (Tool Only)</b>    | 1.1kg  |



**BRUSHLESS™**

### 20V 180Nm 4-speed Impact Driver PDIX2-M2-EU

|                              |  |
|------------------------------|--|
| <b>Voltage</b>               | 20V  |
| <b>No Load Speed</b>         | 0-1100/0-2100/0-3000/0-3300RPM   |
| <b>Impacts Per Minute</b>    | 0-1100/0-2600/0-3600/0-3800IPM   |
| <b>Max. Fastening Torque</b> | 180Nm  |
| <b>Chuck Capacity</b>        | 1/4" (6.35mm)  |
| <b>Fastening Capacities</b>  | Machine screw: M4-M8 (5/32 - 5/16")<br>Standard bolt: M5 - M16 (3/16 - 5/8")<br>High tensile bolt: M5 - M14 (3/16" - 1/2") |
| <b>Weight (Tool Only)</b>    | 0.9kg  |



**BRUSHLESS™**

### 20V 250Nm Impact Driver PDIX2-M5-EU

|                              |  |
|------------------------------|--|
| <b>Voltage</b>               | 20V  |
| <b>No Load Speed</b>         | 0-1800/0-2700/0-3900RPM  |
| <b>Impacts Per Minute</b>    | 0-1500 / 0-3000 / 0-4400IPM  |
| <b>Max. Fastening Torque</b> | 250Nm  |
| <b>Chuck Capacity</b>        | 1/4" (6.35mm)  |
| <b>Fastening Capacities</b>  | Standard bolt: M5-M16(3/16"- 5/8")<br>High tensile bolt: M5-M14(3/16"- 1/2") |
| <b>Weight (Tool Only)</b>    | 1.1kg  |



**BRUSHLESS™**

### 16.8V 40Nm Drill Driver PDDS4-M-EU

|                              |                        |
|------------------------------|------------------------|
| <b>Voltage</b>               | 16.8V                  |
| <b>Motor Type</b>            | Brushless              |
| <b>No Load Speed</b>         | 0-600/0-1700RPM        |
| <b>Max. Fastening Torque</b> | 40Nm                   |
| <b>Torque Settings</b>       | 21+1                   |
| <b>Drill Chuck</b>           | 10mm                   |
| <b>Drilling Capacity</b>     | Steel: 10mm Wood: 25mm |
| <b>Weight (Tool Only)</b>    | 740g                   |

**BRUSHLESS™****20V 13mm (1/2") Drill/Driver  
PDDX2-M2-EU**

|                           |                 |
|---------------------------|-----------------|
| <b>Voltage</b>            | 20V             |
| <b>Torque</b>             | 60Nm            |
| <b>No-Load Speed</b>      | 0-600/0-2000RPM |
| <b>Chuck Style</b>        | 13mm(1/2")      |
| <b>Clutch Settings</b>    | 17+1            |
| <b>Weight (Tool Only)</b> | 1.2kg           |

**BRUSHLESS™****20V 13mm (1/2") Drill/Driver  
PDDX2-M4-EU**

|                           |                   |
|---------------------------|-------------------|
| <b>Voltage</b>            | 20V               |
| <b>Torque</b>             | 60Nm              |
| <b>No-Load Speed</b>      | 0-500 / 0-2200RPM |
| <b>Chuck Style</b>        | 13mm(1/2")        |
| <b>Clutch Settings</b>    | 20+1              |
| <b>Weight (Tool Only)</b> | 0.95kg            |

**BRUSHLESS™****20V 13mm (1/2") Hammer Drill  
PDHX2-M2-EU**

|                           |                 |
|---------------------------|-----------------|
| <b>Voltage</b>            | 20V             |
| <b>Torque</b>             | 60Nm            |
| <b>No-Load Speed</b>      | 0-600/0-2000RPM |
| <b>No-Load BPM</b>        | 0-34,000BPM     |
| <b>Chuck Style</b>        | 13mm(1/2")      |
| <b>Clutch Settings</b>    | 19+3            |
| <b>Weight (Tool Only)</b> | 1.27kg          |

**BRUSHLESS™****20V 10mm (3/8") Drill Driver  
PDDX2-M3-EU**

|                              |                        |
|------------------------------|------------------------|
| <b>Voltage</b>               | 20V                    |
| <b>No Load Speed</b>         | 0-500/0-1800RPM        |
| <b>Max. Fastening Torque</b> | 50Nm                   |
| <b>Chuck Capacity</b>        | 10mm(3/8")             |
| <b>Drilling Capacity</b>     | Steel: 10mm Wood: 25mm |
| <b>Weight (Tool Only)</b>    | 0.95kg                 |

**BRUSHLESS™****20V 24mm (15/16") SDS Plus  
Rotary Hammer  
PDRX2-M4-EU**

|                           |   |
|---------------------------|---|
| <b>Voltage</b>            | 20V   |
| <b>Chuck Style</b>        | SDS Plus  |
| <b>No Load Speed</b>      | 0-980RPM  |
| <b>Blows Per Minute</b>   | 0-4350BPM   |
| <b>Drilling Capacity</b>  | Concrete:24mm (15/16")<br>Steel:13mm<br>Wood:27mm |
| <b>Weight (Tool Only)</b> | 2.9kg   |

**BRUSHLESS™****20V 17mm (11/16") SDS Plus  
Rotary Hammer  
PDRX2-M2-EU**

|                             |   |
|-----------------------------|---|
| <b>Voltage</b>              | 20V   |
| <b>Chuck Style</b>          | SDS Plus  |
| <b>No-Load Speed</b>        | 0-810RPM  |
| <b>Blows Per Minute</b>     | 0-4500BPM   |
| <b>Fastening Capacities</b> | Concrete:17mm (11/16")<br>Steel:10mm<br>Wood:13mm |
| <b>Weight (Tool Only)</b>   | 1.7kg   |



**BRUSHLESS™**
**20V 12.7mm(1/2") 495Nm  
Impact Wrench  
PDWX2-M2-EU**

|                             |  |
|-----------------------------|--|
| <b>Voltage</b>              | 20V  |
| <b>Fastening Torque</b>     | 330Nm  |
| <b>Nut-busting Torque</b>   | 495Nm  |
| <b>Square Drive</b>         | 12.7mm(1/2")   |
| <b>No-Load Speed</b>        | 0-1000/0-1800/0-2600/0-3200RPM                       |
| <b>Impacts Per Minute</b>   | 0-1800/0-2600/0-3400/0-4000IPM                       |
| <b>Settings</b>             | 4 Speeds + Reverse<br>Auto-Stop Mode                 |
| <b>Fastening Capacities</b> | Standard bolt: M10-M20<br>High tensile bolt: M10-M16 |
| <b>Weight (Tool Only)</b>   | 1.2kg  |

**BRUSHLESS™**
**20V 9.5mm(3/8") 495Nm  
Impact Wrench  
PDWX2-M11-EU**

|                             |  |
|-----------------------------|--|
| <b>Voltage</b>              | 20V  |
| <b>Fastening Torque</b>     | 330Nm  |
| <b>Nut-busting Torque</b>   | 495Nm  |
| <b>Square Drive</b>         | 9.5mm(3/8")  |
| <b>No-Load Speed</b>        | 0-1000/0-1800/0-2600/0-3200RPM                       |
| <b>Impacts Per Minute</b>   | 0-1800/0-2600/0-3400/0-4000IPM                       |
| <b>Settings</b>             | 4 Speeds + Reverse<br>Auto-Stop Mode                 |
| <b>Fastening Capacities</b> | Standard bolt: M10-M20<br>High tensile bolt: M10-M16 |
| <b>Weight (Tool Only)</b>   | 1.2kg  |

**BRUSHLESS™**
**20V 1000Nm Mid-Torque  
Impact Wrench  
PDWX2-M7-EU**

|                             |  |
|-----------------------------|--|
| <b>Voltage</b>              | 20V  |
| <b>Fastening Torque</b>     | 750Nm  |
| <b>Nut-busting Torque</b>   | 1000Nm   |
| <b>Square Drive</b>         | 12.7mm(1/2")   |
| <b>No-Load Speed</b>        | 0-1000/0-1500/0-2300RPM                              |
| <b>Impacts Per Minute</b>   | 0-1500/0-2000/0-3000IPM                              |
| <b>Settings</b>             | 3 Speeds + Reverse<br>Auto-Stop Mode                 |
| <b>Fastening Capacities</b> | Standard bolt: M10-M24<br>High tensile bolt: M10-M16 |
| <b>Weight (Tool Only)</b>   | 1.9kg  |

**BRUSHLESS™**
**20V 1490Nm Impact Wrench  
PDWX2-M8-EU**

|                              |  |
|------------------------------|--|
| <b>Voltage</b>               | 20V  |
| <b>No Load Speed</b>         | 0-1200/0-1800/0-1800/0-1800RPM                       |
| <b>Impacts Per Minute</b>    | 0-1600/0-2400/0-2400/0-2400IPM                       |
| <b>Max. Fastening Torque</b> | 1000Nm   |
| <b>Nut-busting Torque</b>    | 1490 Nm  |
| <b>Square Drive</b>          | 12.7mm (1/2")  |
| <b>Fastening Capacities</b>  | Standard bolt: M12-M30<br>High tensile bolt: M10-M24 |
| <b>Weight (Tool Only)</b>    | 2.85kg   |

**BRUSHLESS™**
**20V 1900Nm High Torque  
Impact Wrench  
PDWX2-M4-EU**

|                             |  |
|-----------------------------|--|
| <b>Voltage</b>              | 20V  |
| <b>Fastening Torque</b>     | 1350Nm   |
| <b>Nut-busting Torque</b>   | 1900Nm   |
| <b>Square Drive</b>         | 12.7mm(1/2")   |
| <b>No-Load Speed</b>        | 0-750/0-1500/0-1800RPM                               |
| <b>Impacts Per Minute</b>   | 0-1150/0-2100/0-2400IPM                              |
| <b>Settings</b>             | 3 Speeds + Reverse<br>Auto-Stop Mode                 |
| <b>Fastening Capacities</b> | Standard bolt: M12-M36<br>High tensile bolt: M10-M27 |
| <b>Weight (Tool Only)</b>   | 2.85kg   |

**BRUSHLESS™**
**20V 1490Nm High Torque  
Impact Wrench  
PDWX2-M3-EU**

|                             |  |
|-----------------------------|--|
| <b>Voltage</b>              | 20V  |
| <b>Fastening Torque</b>     | 1000Nm   |
| <b>Nut-busting Torque</b>   | 1490Nm   |
| <b>Square Drive</b>         | 12.7mm(1/2")   |
| <b>No-Load Speed</b>        | 0-750/0-1500/0-1800RPM                               |
| <b>Impacts Per Minute</b>   | 0-1150/0-2100/0-2400IPM                              |
| <b>Settings</b>             | 3 Speeds + Reverse<br>Auto-Stop Mode                 |
| <b>Fastening Capacities</b> | Standard bolt: M12-M30<br>High tensile bolt: M10-M24 |
| <b>Weight (Tool Only)</b>   | 2.7kg  |



**BRUSHLESS™**  
**20V 2000Nm High Torque  
 Impact Wrench  
 PDWX2-M5-EU**

|                             |  |
|-----------------------------|--|
| <b>Voltage</b>              | 20V  |
| <b>Fastening Torque</b>     | 1500Nm   |
| <b>Nut-busting Torque</b>   | 2000Nm   |
| <b>Square Drive</b>         | 19mm(3/4")   |
| <b>No-Load Speed</b>        | 0-750/0-1500/0-1800RPM                               |
| <b>Impacts Per Minute</b>   | 0-1150/0-2100/0-2400IPM                              |
| <b>Settings</b>             | 3 Speeds + Reverse<br>Auto-Stop Mode                 |
| <b>Fastening Capacities</b> | Standard bolt: M12-M30<br>High tensile bolt: M10-M24 |
| <b>Weight (Tool Only)</b>   | 2.95kg   |



**BRUSHLESS™**  
**20V 2450Nm Impact Wrench  
 PDWX2-M6-EU**

|                              |  |
|------------------------------|--|
| <b>Voltage</b>               | 20V  |
| <b>No Load Speed</b>         | 0-1000/0-1100/0-1400/0-1650RPM                     |
| <b>Impacts Per Minute</b>    | 0-1330/0-1620/0-2100/0-2450IPM                     |
| <b>Max. Fastening Torque</b> | 2000 N.m   |
| <b>Nut-busting Torque</b>    | 2450 N.m   |
| <b>Square Drive</b>          | 25.4mm (1")  |
| <b>Fastening Capacities</b>  | Standard bolt:M12-M42<br>High tensile bolt:M10-M32 |
| <b>Weight (Tool Only)</b>    | 4.8kg  |



**BRUSHLESS™**  
**20V 75Nm Ratchet Wrench  
 PDWX2-M12-EU**

|                              |  |
|------------------------------|--|
| <b>Voltage</b>               | 20V  |
| <b>No-Load Speed</b>         | 0-250RPM   |
| <b>Max. Fastening Torque</b> | 75 Nm  |
| <b>Anvil Size</b>            | 9.5mm (3/8")                                     |
| <b>Fastening Capacities</b>  | Standard bolt:M6-M14<br>High tensile bolt:M6-M12 |
| <b>Weight (Tool Only)</b>    | 1.3kg  |



**BRUSHLESS™**  
**20V 75Nm Ratchet Wrench  
 PDWX2-M13-EU**

|                              |  |
|------------------------------|--|
| <b>Voltage</b>               | 20V  |
| <b>No-Load Speed</b>         | 0-250RPM   |
| <b>Max. Fastening Torque</b> | 75 Nm  |
| <b>Anvil Size</b>            | 12.7mm (1/2")                                    |
| <b>Fastening Size</b>        | Standard bolt:M6-M14<br>High tensile bolt:M6-M12 |
| <b>Weight (Tool Only)</b>    | 1.3kg  |



**BRUSHLESS™**  
**20V Jig Saw  
 PSJX2-M3-EU**

|                           |                          |
|---------------------------|--------------------------|
| <b>Voltage</b>            | 20V                      |
| <b>Stroke Length</b>      | 23mm                     |
| <b>No Load Speed</b>      | 0-3000SPM                |
| <b>Cutting Capacity</b>   | Wood: 135mm Steel : 10mm |
| <b>Weight (Tool Only)</b> | 1.9kg                    |



**BRUSHLESS™**  
**20V 22mm One-Handed  
 Reciprocating Saw  
 PSRX2-M2-EU**

|                           |                                       |
|---------------------------|---------------------------------------|
| <b>Voltage</b>            | 20V                                   |
| <b>Stroke Length</b>      | 22mm                                  |
| <b>No-Load Speed</b>      | 0-3000SPM                             |
| <b>Cutting Capacity</b>   | Wood: 255mm<br>Mild Steel Pipe: 130mm |
| <b>Weight (Tool Only)</b> | 1.7kg                                 |



**20V 20mm (13/16")  
Reciprocating Saw  
PSRX2-L1-EU**

|                           |                                      |
|---------------------------|--------------------------------------|
| <b>Voltage</b>            | 20V                                  |
| <b>Stroke Length</b>      | 20mm(13/16")                         |
| <b>No Load Speed</b>      | 0-2700SPM                            |
| <b>Cutting Capacity</b>   | Wood: 50 mm<br>Mild Steel Pipe: 50mm |
| <b>Weight (Tool Only)</b> | 1.1 kg                               |



**BRUSHLESS™**  
**20V 26mm (1")  
Reciprocating Saw  
PSRX2-M3-EU**

|                           |  |
|---------------------------|--|
| <b>Voltage</b>            | 20V  |
| <b>Stroke Length</b>      | 26mm(1")                                   |
| <b>No-Load Speed</b>      | 0-3200SPM                                  |
| <b>Cutting Capacity</b>   | Pine Wood: 255mm<br>Mild Steel Pipe: 130mm |
| <b>Weight (Tool Only)</b> | 2.6 kg                                     |



**20V 13mm (1/2")  
Reciprocating Saw  
PSRX2-M1-EU**

|                           |                                     |
|---------------------------|-------------------------------------|
| <b>Voltage</b>            | 20V                                 |
| <b>Stroke Length</b>      | 13mm (1/2")                         |
| <b>No-Load Speed</b>      | 0-2800SPM                           |
| <b>Cutting Capacity</b>   | Wood: 50mm<br>Mild Steel Pipe: 50mm |
| <b>Weight (Tool Only)</b> | 1.2kg                               |



**BRUSHLESS™**  
**20V 185mm (7-1/4") Circular Saw  
PSCX2-M3-EU**

|                           |                     |
|---------------------------|---------------------|
| <b>Voltage</b>            | 20V                 |
| <b>No-Load Speed</b>      | 4200RPM             |
| <b>Saw Blade Diameter</b> | 185mm (7-1/4")      |
| <b>Cutting Capacity</b>   | 0°: 62 mm/45°: 44mm |
| <b>Weight (Tool Only)</b> | 2.8 kg              |



**BRUSHLESS™**  
**X2 20V 140mm (5-1/2")  
Circular Saw  
PSCX2-M4-EU**

|                           |                    |
|---------------------------|--------------------|
| <b>Motor type</b>         | Brushless          |
| <b>No Load Speed</b>      | 6900RPM            |
| <b>Saw Blade Diameter</b> | 140mm(5-1/2")      |
| <b>Cutting Capacity</b>   | 0°: 51mm 45°: 27mm |



**BRUSHLESS™**  
**X2 20V 165mm (6-1/2")  
Circular Saw  
PSCX2-M5-EU**

|                           |                    |
|---------------------------|--------------------|
| <b>Motor Type</b>         | Brushless          |
| <b>No Load Speed</b>      | 5000RPM            |
| <b>Saw Blade Diameter</b> | 165mm(6-1/2")      |
| <b>Cutting Capacity</b>   | 0°: 65mm 45°: 42mm |



**BRUSHLESS™****20V 165mm(6-1/2")  
Circular Saw****PSCX2-M6-EU**

|                           |                    |
|---------------------------|--------------------|
| <b>Voltage</b>            | 20V                |
| <b>Saw Blade Diameter</b> | 165mm              |
| <b>No Load Speed</b>      | 5000RPM            |
| <b>Cutting Capacity</b>   | 0°: 56mm 45°: 41mm |
| <b>Weight (Tool Only)</b> | 2.3 kg             |

**BRUSHLESS™****20V 115mm(4-1/2")  
Angle Grinder****PAX2-M1-EU**

|                           |                        |
|---------------------------|------------------------|
| <b>Voltage</b>            | 20V                    |
| <b>No-Load Speed</b>      | 3000/4500/6000/8500RPM |
| <b>Switch Style</b>       | Paddle Switch          |
| <b>Spindle Thread</b>     | M14                    |
| <b>Disc Diameter</b>      | 115mm(4-1/2")          |
| <b>Weight (Tool Only)</b> | 1.7kg                  |

**BRUSHLESS™****20V 115mm Angle Grinder  
PAX2115-M2-EU**

|                           |               |
|---------------------------|---------------|
| <b>Voltage</b>            | 20V           |
| <b>No-Load Speed</b>      | 8500RPM       |
| <b>Switch Style</b>       | Locking Slide |
| <b>Spindle Thread</b>     | M14           |
| <b>Disc Diameter</b>      | 115mm         |
| <b>Weight (Tool Only)</b> | 1.7kg         |

**BRUSHLESS™****20V 125mm (5") Angle Grinder  
PAX2125-M2-EU**

|                           |               |
|---------------------------|---------------|
| <b>Voltage</b>            | 20V           |
| <b>No-Load Speed</b>      | 8500RPM       |
| <b>Switch Style</b>       | Locking Slide |
| <b>Spindle Thread</b>     | M14           |
| <b>Disc Diameter</b>      | 125mm (5")    |
| <b>Weight (Tool Only)</b> | 1.7kg         |

**BRUSHLESS™****20V 3 speeds Random Orbit  
Sander  
PSX2-M1-EU**

|                           |                     |
|---------------------------|---------------------|
| <b>Voltage</b>            | 20V                 |
| <b>No-Load Speed</b>      | 7000/9500/11000 OPM |
| <b>Pad Size</b>           | 125mm(5")           |
| <b>Settings</b>           | 3 Speeds            |
| <b>Orbit Diameter</b>     | 3.2mm               |
| <b>Weight (Tool Only)</b> | 0.9kg               |

**20V Detail Sander  
PSX2-M3-EU**

|                           |              |
|---------------------------|--------------|
| <b>Voltage</b>            | 20V          |
| <b>No Load Speed</b>      | 11000 OPM    |
| <b>Pad Size</b>           | 136mmx95.5mm |
| <b>Orbit Diameter</b>     | 1.6mm        |
| <b>Weight (Tool Only)</b> | 0.8kg        |



**20V Cordless 127m³/h (75CFM)  
Jobsite Blower/Vacuum**  
**BLVX2-M-EU**

|                          |                |
|--------------------------|----------------|
| <b>Voltage</b>           | 20V            |
| <b>Air Speed</b>         | 0-81m/s        |
| <b>Air Volume</b>        | 127m³/h(75CFM) |
| <b>Settings</b>          | 3 Speeds       |
| <b>Weight(Tool Only)</b> | 1.4kg          |



**20V Hybrid Electric Cooler/Warmer**  
**PFX2-M2-EU**

|                          |                                   |
|--------------------------|-----------------------------------|
| <b>AC</b>                | 100V-240V/50-60Hz                 |
| <b>Cigarette Socket</b>  | DC12V/24V                         |
| <b>Battery Pack</b>      | 18V/2x18V                         |
| <b>Temperature Range</b> | -18 °C ~60 °C                     |
| <b>Size</b>              | Holds 34 cans or 24 water bottles |
| <b>Weight(Tool Only)</b> | 16.5kg                            |



**20V Power K-Cup  
Coffee Maker**  
**CMX2-M2-EU**

|                           |         |
|---------------------------|---------|
| <b>Voltage</b>            | 20V     |
| <b>Brewing Time</b>       | 6-8 min |
| <b>Tank Capacity</b>      | 280 ml  |
| <b>Weight (Tool Only)</b> | 1.5kg   |



**BRUSHLESS™**

**20V 6 Speeds Oscillating  
Multi-Tool**  
**POX2-M-EU**

|                           |   |
|---------------------------|---|
| <b>Voltage</b>            | 20V   |
| <b>No-Load Speed</b>      | 10000/12000/14000/16000/<br>18000/20000 OPM |
| <b>Settings</b>           | 6 Speed                                     |
| <b>Oscillation Arc</b>    | 2x2°  |
| <b>Weight (Tool Only)</b> | 1.1kg                                       |



**BRUSHLESS™**

**20V CREASE GUN**  
**GGX2-M1-EU**

|                          |  |
|--------------------------|--|
| <b>Voltage</b>           | 20V  |
| <b>Max Pressure</b>      | 10000PSI   |
| <b>Flow Rate</b>         | 3 oz/min (88.7 ml/min)<br>5 oz/min (147.85 ml/min) |
| <b>Grease Capacity</b>   | 455ml  |
| <b>Hose Length</b>       | 125.7cm  |
| <b>Weight(Tool Only)</b> | 1.2kg  |



**20V Power K-Cup  
Coffee Maker**  
**CMX2-M5-EU**

|                           |                       |
|---------------------------|-----------------------|
| <b>Voltage</b>            | 20V                   |
| <b>Brewing Time</b>       | DC 6-8 min/AC 3-5 min |
| <b>Tank Capacity</b>      | 280 ml                |
| <b>Weight (Tool Only)</b> | 1.7kg                 |



**20V DC Coffee maker**  
**CMX2-M6-EU**

|                           |         |
|---------------------------|---------|
| <b>Voltage</b>            | 20V     |
| <b>Brewing Time</b>       | 6-8 min |
| <b>Tank Capacity</b>      | 240 ml  |
| <b>Weight (Tool Only)</b> | 1.3kg   |



**BRUSHLESS™**  
**20V Clamp Fan**  
**FNX2-M2-EU**

|                                  |   |
|----------------------------------|---|
| <b>Voltage</b>                   | 20V   |
| <b>Fan Diameter</b>              | 10cm (4")   |
| <b>Speed Setting</b>             | 2 speed   |
| <b>Air Volume</b>                | 2.1m <sup>3</sup> /min (75CFM)<br>4.2m <sup>3</sup> /min (150CFM) |
| <b>Air Speed</b>                 | (9m/s) (4.5m/s)   |
| <b>Noise Level</b>               | 65dB  |
| <b>Pivoting angle of head</b>    | 290°  |
| <b>Pivoting angle of bracket</b> | 300°  |
| <b>Running Time</b>              | 18h on high speed (5.0Ah)   |
| <b>Weight (Tool Only)</b>        | 0.4kg   |



**20V 200 Lumens FlashLight**  
**PLX2-M-EU**

|                           |                          |
|---------------------------|--------------------------|
| <b>Voltage</b>            | 20V                      |
| <b>Light Output</b>       | 200LM                    |
| <b>Runtime</b>            | 34 hours (5.0Ah battery) |
| <b>Weight (Tool Only)</b> | 0.2kg                    |



**20V Hybrid Jobsite Fan**  
**FNX2-M1-EU**

|                               |                                      |
|-------------------------------|--------------------------------------|
| <b>Voltage</b>                | 20V/100V-240V(50/60Hz)               |
| <b>Fan Diameter</b>           | 19cm (7.5")                          |
| <b>USB Port</b>               | TypeC:5V 2.1A/TypeA:5V 2.1A          |
| <b>Air Volume</b>             | 0-21.4m <sup>3</sup> /min (0-755CFM) |
| <b>Air Speed</b>              | (12.5m/s)(45km/h)                    |
| <b>Noise Level</b>            | 75dB                                 |
| <b>Pivoting angle of head</b> | 210°                                 |
| <b>The lumen of the lamp</b>  | 80LM (low)/160LM(High)               |
| <b>Weight (Tool Only)</b>     | 2.3kg                                |
| <b>Single Pack Runtime</b>    | 4h on high speed(5Ah)                |




**20V Task Light**  
**PLX2-M3-EU**

|                            |            |
|----------------------------|------------|
| <b>Voltage</b>             | 20V        |
| <b>Light Output</b>        | 3000LM Max |
| <b>Lighting Adjustment</b> | 4-Mode     |
| <b>Weight (Tool Only)</b>  | 1.2kg      |





- User-Friendly LED Display
- Superior Connectivity  
Fully connected to the APP.





## LED DISPLAY

With the digital LED display, users can easily know what the mower is doing, and follow the trouble shooting instructions in APP, mower faults can be easily eliminated.



## HOSE WASHABLE IPX5

Simply clean the robot mower using your garden hose. And you are ready to go!



## APP CONNECTIVITY (BLUETOOTH&WIFI)

Fully connected to the APP. You can execute the most common commands such as start, stop, and get status updates from Robotic mower via APP.



## ALWAYS UP TO DATE

For all robot mower models, you can easily update the firmware of your robot mower yourself, using OTA technology.

| Cutting Capacity | A027013-300m²      | A02713-500m²       | A027013-800m²      | A027013-1000m²     | A027019-1500m²     | A027019-2000m²     |
|------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Fence Definition | Perimeter wire     | Perimeter wire     | Perimeter wire     | Perimeter wire     | Perimeter wire     | Perimeter wire     |
| Type of Cut      | Random             | Random             | Random             | Random             | Random             | Random             |
| Max Slope        | 36% (20°)          | 36% (20°)          | 36% (20°)          | 36% (20°)          | 36% (20°)          | 36% (20°)          |
| Battery Pack     | 20V, 2.0Ah         | 20V, 2.5Ah         | 20V, 4.0Ah         | 20V, 4.0Ah         | 20V, 5.0Ah         | 20V, 8.0Ah         |
| Charge Current   | 2A                 | 2A                 | 2A                 | 3A                 | 3A                 | 3A                 |
| Motor Type       | Brushless          | Brushless          | Brushless          | Brushless          | Brushless          | Brushless          |
| Cutting System   | 3 pivoted blades   | 3 pivoted blades   | 3 pivoted blades   | 3 pivoted blades   | 3 pivoted blades   | 3 pivoted blades   |
| Cutting Width    | 18cm               | 18cm               | 18cm               | 18cm               | 22.5cm             | 22.5cm             |
| Cutting Height   | 30-60mm            | 30-60mm            | 30-60mm            | 30-60mm            | 30-60mm            | 30-60mm            |
| Water Protection | Hose washable IPX5 | Hose washable IPX5 | Hose washable IPX5 | Hose washable IPX5 | Hose washable IPX5 | Hose washable IPX5 |
| Noise level      | 61dB               | 61dB               | 61dB               | 61dB               | 65dB               | 65dB               |





**SENIX**

**40L<sup>®</sup>**



# ALL MUSCLE

**NO FUSS**







## Why choose a 4-Cycle?

### Quantitative Lubrication – Ultimate 4-Cycle Engine

Patented 4QL technology is unidirectional quantitative lubrication that prevents flooding, leaks, and keeps the motor lubricated in any direction.



All-Direction Use



Mix-Free Fueling

No Mixing of Fuel and Petrol



ECO

Lower Emissions\*



Lower Noise Level\*



Light Weight



Up to 50% lower emissions compared to 2-stroke engines.



**26.5cc Grass Trimmer**  
**GTC4QL-L-EU**

|                     |                |
|---------------------|----------------|
| Engine Displacement | 26.5cc         |
| Running Watts       | 650W           |
| No-Load Speed       | 7000RPM        |
| Cutting Capacity    | 43cm           |
| Line Type           | 2.0mmx2        |
| Line Feed System    | Bump-feed      |
| Fuel Tank Capacity  | 280ml(9.88oz)  |
| Weight (Tool Only)  | 4.7kg(10.3lbs) |



**31cc Brush cutter**  
**GTBC4QL-M-EU**

|                     |                    |
|---------------------|--------------------|
| Engine Displacement | 31cc               |
| Running Watts       | 800W               |
| No-Load Speed       | 7000RPM            |
| Cutting Capacity    | 45cm               |
| Line Type           | 2.4mm twisted line |
| Line Feed System    | Bump-feed          |
| Fuel Tank Capacity  | 320ml(10.82oz)     |
| Weight (Tool Only)  | 5.4kg(11.84lbs)    |



**46CC 45cm (18") Gasoline  
Handheld Brush Cutter**  
**GTBCU4QL-H-EU**

|                        |                         |
|------------------------|-------------------------|
| Engine Power           | 1300w                   |
| Cutting Capacity       | 45cm                    |
| Line Feeding           | Dual Bump-feed          |
| Blade Cutting Diameter | 30.5cm                  |
| Fuel Tank Capacity     | 900ml                   |
| Oil Tank Capacity      | 120ml                   |
| Working Time           | 50 minutes/One oli tank |



**26.5cc Grass Trimmer**  
**GTS4QL-L-EU**

|                     |                |
|---------------------|----------------|
| Engine Displacement | 26.5cc         |
| Running Watts       | 650W           |
| No-Load Speed       | 7000RPM        |
| Cutting Capacity    | 45cm           |
| Line Type           | 2.4mmx2        |
| Line Feed System    | Bump-feed      |
| Fuel Tank Capacity  | 320ml(10.82oz) |
| Weight (Tool Only)  | 4.7kg(10.3lbs) |



**26.5CC Pole Saw**  
**CSP4QL-L-EU**

|                     |                |
|---------------------|----------------|
| Engine Displacement | 26.5cc         |
| Running Watts       | 650W           |
| No-Load Speed       | 8600RPM        |
| Total Length        | 2680mm         |
| Chain Bar           | 20cm(Oregon)   |
| Fuel Tank Capacity  | 320ml(10.82oz) |
| Weight (Tool Only)  | 5.7kg(12.6lbs) |



**37cc Earth Auger**  
**EA4QL-L-EU**

|                     |              |
|---------------------|--------------|
| Engine Displacement | 37cc         |
| Running Watts       | 1000W        |
| Max. revolutions    | 24RPM        |
| Gear Ratio          | 29 : 1       |
| Auger Bit Type      | Single blade |
| Bit Diameter(in)    | 200mm        |
| Fuel Tank Capacity  | 900ml        |
| Weight (Tool Only)  | 11.8kg       |



**42.7CC 255mm Brush cutter**  
**BCUTS-M3-EU**

|                     |                              |
|---------------------|------------------------------|
| Engine Displacement | 42.7CC 1.2kw                 |
| Engine Rated Speed  | 7500RPM                      |
| Cutting Diameter    | 255mm(blade)                 |
| Fuel Mixture Ratio  | Petrol: Two-cycle Oil (40:1) |
| Fuel Tank Capacity  | 900ml                        |
| Carburetor          | Diaphragm                    |
| Easy To Start       | Yes                          |
| Weight (Tool Only)  | 7.4kg                        |



**42.7CC 255mm (10")  
GAS Brushcutter**  
**BCUTS-M2-EU**

|                        |                 |
|------------------------|-----------------|
| Engine Power           | 1.47KW          |
| Engine Type            | 2-Stroke Engine |
| Displacement           | 41.5cc          |
| Blade Cutting Diameter | 255mm           |
| Fuel Tank Capacity     | 1200ml          |
| Fast To Start          | Yes             |
| Weight (Tool Only)     | 7.9kg           |



**26.5cc Hedge Trimmer**  
**HT4QL-M-EU**

|                     |                |
|---------------------|----------------|
| Engine Displacement | 26.5cc         |
| Running Watts       | 650W           |
| No-Load Speed       | 7000RPM        |
| Blade Length        | 48cm           |
| Tooth Space         | 35mm           |
| Line Feed System    | Bump-feed      |
| Fuel Tank Capacity  | 280ml(9.88oz)  |
| Weight (Tool Only)  | 4.9kg(10.8lbs) |



**26.5cc 480mm(19")  
Hedge trimmer**  
**HT4QL-L-EU**

|                |                     |
|----------------|---------------------|
| Engine type    | 4 stroke air cooled |
| Power          | 650W                |
| Displacement   | 26.5cc              |
| Cutting Length | 480mm(19")          |
| Blade Action   | Dual action         |
| Tooth Space    | 35mm                |



**49CC Backpack blower**  
**BLB4QL-M-EU**

|                     |                         |
|---------------------|-------------------------|
| Engine Displacement | 49cc                    |
| Running Watts       | 1600W                   |
| No-Load Speed       | 7000RPM                 |
| Wind Speed          | 90m/s                   |
| Air Volume          | 11.6m <sup>3</sup> /min |
| Fuel Tank Capacity  | 1250ml(42.27oz)         |
| Weight (Tool Only)  | 8.5kg(18.7lbs)          |



**46CC 40cm(16")  
Cultivator/Tiller**  
**TL4QL-L1-EU**

|                     |                 |
|---------------------|-----------------|
| Engine Displacement | 46cc            |
| Running Watts       | 1400W           |
| No-Load Speed       | 250RPM          |
| Working Width       | 40cm(16")       |
| Working Depth       | 20cm            |
| Fuel Tank Capacity  | 800ml(27.05oz)  |
| Weight (Tool Only)  | 14.5kg(31.9lbs) |





**46cc 45cm (18") Backpack  
Grass Trimmer/Brush cutter**  
**GTBCPU4QL-H-EU**

|                               |                |
|-------------------------------|----------------|
| <b>Engine power</b>           | 1680W          |
| <b>Cutting Capacity</b>       | 45cm(18")      |
| <b>Displacement</b>           | 46cc           |
| <b>Line Feeding</b>           | Dual Bump-feed |
| <b>Blade Cutting Diameter</b> | 25.5cm         |
| <b>Fuel Tank Capacity</b>     | 900ml          |
| <b>Oil Tank Capacity</b>      | 120ml          |



**161CC 51cm (20")  
Lawnmower**  
**LSPG-M13-EU**

|                                  |  |
|----------------------------------|--|
| <b>Engine</b>                    | OHV.4-stroke air-cooled,BS<br>DOV750 engine with brake |
| <b>Displacement</b>              | 161CC 3.4HP  |
| <b>Power</b>                     | 2.5KW  |
| <b>No-load Speed</b>             | 2800RPM  |
| <b>Fuel Tank</b>                 | 1.0L   |
| <b>Oil Tank</b>                  | 0.6L   |
| <b>Deck</b>                      | Metal Deck   |
| <b>Cutting Width</b>             | 510mm  |
| <b>Cutting Height Adjustment</b> | 8 Stage Central  |
| <b>Cutting Height</b>            | 20mm~80mm  |
| <b>Blade</b>                     | Four swing blade                                       |
| <b>Grass Bag</b>                 | 60L  |
| <b>Weight (Tool Only)</b>        | 28.3kg   |



**144CC 46cm (18")  
Lawnmower**  
**LSPG-M9-EU**

|                                  |                 |
|----------------------------------|-----------------|
| <b>Engine</b>                    | OHV,4-stroke    |
| <b>Displacement</b>              | 144.3CC 3.4HP   |
| <b>Power</b>                     | 2.5KW           |
| <b>No-load Speed</b>             | 3100RPM         |
| <b>Fuel Tank</b>                 | 0.8L            |
| <b>Oil Tank</b>                  | 0.5L            |
| <b>Deck</b>                      | Metal Deck      |
| <b>Cutting Width</b>             | 460mm           |
| <b>Cutting Height Adjustment</b> | 8 Stage Central |
| <b>Cutting Height</b>            | 20mm-80mm       |
| <b>Blade</b>                     | Two swing blade |
| <b>Grass Bag</b>                 | 60L             |
| <b>Weight (Tool Only)</b>        | 25.5kg          |



**170CC 46cm (18")  
Lawnmower**  
**LSPG-M10-EU**

|                                  |                  |
|----------------------------------|------------------|
| <b>Engine</b>                    | OHV,4-stroke     |
| <b>Displacement</b>              | 170.1CC 3.8HP    |
| <b>Power</b>                     | 2.8KW            |
| <b>No-load Speed</b>             | 3100RPM          |
| <b>Fuel Tank</b>                 | 0.8L             |
| <b>Oil Tank</b>                  | 0.5L             |
| <b>Deck</b>                      | Metal Deck       |
| <b>Cutting Width</b>             | 460mm            |
| <b>Cutting Height Adjustment</b> | 8 Stage Central  |
| <b>Cutting Height</b>            | 20mm-80mm        |
| <b>Blade</b>                     | Four swing blade |
| <b>Grass Bag</b>                 | 60L              |
| <b>Weight (Tool Only)</b>        | 26.3kg           |



**58CC 45cm(18") Chain Saw**  
**CSTS-M-EU**

|                            |                      |
|----------------------------|----------------------|
| <b>Engine Displacement</b> | 58CC                 |
| <b>Running Watts</b>       | 2300W                |
| <b>No-Load Speed</b>       | 8500RPM              |
| <b>Engine Type</b>         | 2-stroke, Air-Cooled |
| <b>Bar Length</b>          | 45cm(18")            |
| <b>Chain Speed</b>         | 22m/s                |
| <b>Fuel Tank Capacity</b>  | 550ml                |
| <b>Oil Tank Capacity</b>   | 260ml                |
| <b>Weight (Tool Only)</b>  | 5.6kg                |



**54CC 51cm (20") Chain Saw**  
**CSTS-M3-EU**

|                            |                    |
|----------------------------|--------------------|
| <b>Engine Displacement</b> | 54.5CC 2.3kw       |
| <b>Engine Idle Speed</b>   | 3000RPM            |
| <b>Engine High Speed</b>   | 11500RPM           |
| <b>Bar Length</b>          | 51cm(20")          |
| <b>Fuel Mixture Ratio</b>  | 2-stroke Oil(25:1) |
| <b>Fuel Tank Capacity</b>  | 550ml              |
| <b>Oil Tank Capacity</b>   | 260ml              |
| <b>Easy to start</b>       | Yes                |
| <b>Weight (Tool Only)</b>  | 6.5kg              |



**49CC 40cm (16") Chain Saw**  
**CS4QL-L-EU**

|                            |                |
|----------------------------|----------------|
| <b>Engine Displacement</b> | 49cc           |
| <b>Running Watts</b>       | 1600W          |
| <b>No-Load Speed</b>       | 7500rpm        |
| <b>Bar Length</b>          | 40cm(16")      |
| <b>Chain Speed</b>         | 18m/s          |
| <b>Fuel Tank Capacity</b>  | 400ml(13.53oz) |
| <b>Weight (Tool Only)</b>  | 5.6kg(12.3lbs) |



**58CC 46cm (18") Chain Saw**  
**CSE23.0-M-EU**

|                            |                     |
|----------------------------|---------------------|
| <b>Engine Displacement</b> | 58cc                |
| <b>Engine Type</b>         | 2 stroke air cooled |
| <b>Power</b>               | 2.4kw               |
| <b>Guide Bar&amp;Chain</b> | 18" Chinese         |



**2000W Generators**  
**GN4QL-M2-EU**

|                                     |          |
|-------------------------------------|----------|
| <b>Max. Power (kW)</b>              | 2.0      |
| <b>DC Output</b>                    | 12V/8.3A |
| <b>Rated Voltage (V)</b>            | 220/230  |
| <b>Running Time (Full load )(H)</b> | 3        |
| <b>Running Time (1/2 load )(H)</b>  | 4.5      |



**1100W Generators**  
**GN4QL-M3-EU**

|                                     |          |
|-------------------------------------|----------|
| <b>Max. Power (kW)</b>              | 1.1      |
| <b>DC Output</b>                    | 12V/8.3A |
| <b>Rated Voltage (V)</b>            | 220/230  |
| <b>Running Time (Full load )(H)</b> | 3.5      |
| <b>Running Time (1/2 load )(H)</b>  | 6        |



**SENIX** | *AC Corded*

**HOOKED UP TO**

**ENDLESS POWER**





# AC-Corded

Massive, constant power for complete control of your landscape.

 **SENIX®**

AC Corded



**AC**



**AC**



**900W Corded 100mm (4'')**  
**Angle Grinder Rear Switch**  
**PAE8.5-M3-EU**

|                           |            |
|---------------------------|------------|
| <b>Rated Power</b>        | 900W       |
| <b>Max. Disc Diameter</b> | 100mm(4'') |
| <b>Spindle Thread</b>     | M10        |
| <b>Rear Switch</b>        |            |



**900W Corded 100mm(4'')**  
**Angle Grinder Paddle Switch**  
**PAE9.0-M-EU**

|                           |            |
|---------------------------|------------|
| <b>Rated Power</b>        | 900W       |
| <b>Max. Disc Diameter</b> | 100mm(4'') |
| <b>Spindle Thread</b>     | M10        |
| <b>Weight(Tool Only)</b>  | 2.4kg      |
| <b>Rear Switch</b>        |            |



**BRUSHLESS™**  
**1050W Brushless**  
**100mm (4'') Angle Grinder**  
**PAE10.5-H-EU**

|                         |            |
|-------------------------|------------|
| <b>Motor Type</b>       | Brushless  |
| <b>Rated Power</b>      | 1050W      |
| <b>Cutting Diameter</b> | 100mm(4'') |
| <b>Spindle Thread</b>   | M10        |



**1010W Corded 125mm (5'')**  
**Angle Grinder**  
**PAE10.1-M1-EU**

|                           |            |
|---------------------------|------------|
| <b>Rated Power</b>        | 1010W      |
| <b>Max. Disc Diameter</b> | 125mm(5'') |
| <b>Spindle Thread</b>     | M14        |
| <b>Weight(Tool Only)</b>  | 1.6kg      |



**BRUSHLESS™**  
**AC 1200W 125mm (5'')**  
**Angle Grinder**  
**PAE12-H-EU**

|                               |                   |
|-------------------------------|-------------------|
| <b>Voltage</b>                | 220V-240V 50-60Hz |
| <b>Motor Type</b>             | Brushless         |
| <b>Rated Power</b>            | 1200W             |
| <b>Cutting Diameter</b>       | 125mm (5'')       |
| <b>No-Load Speed</b>          | 10000RPM          |
| <b>Thread of Output Shaft</b> | M14               |
| <b>Weight(Tool Only)</b>      | 2.3kg             |



**1800W Corded 180mm (7'')**  
**Angle Grinder**  
**PAE18.0-M-EU**

|                           |            |
|---------------------------|------------|
| <b>Rated Power</b>        | 1800W      |
| <b>Max. Disc Diameter</b> | 180mm(7'') |
| <b>Spindle Thread</b>     | M14        |
| <b>Weight(Tool Only)</b>  | 5.4kg      |



**2200W Corded 230mm (9")  
Angle Grinder**  
**PAE22.0-M-EU**

|                           |           |
|---------------------------|-----------|
| <b>Rated Power</b>        | 2200W     |
| <b>Max. Disc Diameter</b> | 230mm(9") |
| <b>Spindle Thread</b>     | M14       |
| <b>Weight(Tool Only)</b>  | 5.4kg     |



**AC 2300W 230mm (9")  
Angle Grinder**  
**PAE23-M1-EU**

|                           |                  |
|---------------------------|------------------|
| <b>Voltage</b>            | 220-240V/50-60Hz |
| <b>Power</b>              | 2300W            |
| <b>No-load speed</b>      | 6500RPM          |
| <b>Max. Disc Diameter</b> | 230mm(9")        |
| <b>Spindle Thread</b>     | M14              |
| <b>Weight(Tool Only)</b>  | 5.4kg            |



**BRUSHLESS™**  
**AC 2600W 230mm (9")  
Angle Grinder**  
**PAE26-H-EU**

|                               |                   |
|-------------------------------|-------------------|
| <b>Voltage</b>                | 220V~240V 50-60Hz |
| <b>Motor Type</b>             | Brushless         |
| <b>Rated Power</b>            | 2600W             |
| <b>Cutting Diameter</b>       | 230mm (9")        |
| <b>No-Load Speed</b>          | 5700RPM           |
| <b>Thread of Output Shaft</b> | M14               |
| <b>Weight(Tool Only)</b>      | 6kg               |



**1500W Corded 115mm (4-1/2")  
Marble Cutter**  
**TSE15-M-EU**

|                             |                |
|-----------------------------|----------------|
| <b>Power</b>                | 1500W          |
| <b>Wheel Diameter</b>       | 115mm (4-1/2") |
| <b>Max Cutting Capacity</b> | 34mm           |
| <b>Weight(Tool Only)</b>    | 3.6kg          |



**1400W Corded 185mm (7-1/4")  
Circular Saw**  
**PSCE14-M-EU**

|                          |                     |
|--------------------------|---------------------|
| <b>Power</b>             | 1400W               |
| <b>Cutting Capacity</b>  | 90°: 65mm 45°: 44mm |
| <b>Blade Diameter</b>    | 185mm (7-1/4")      |
| <b>Weight(Tool Only)</b> | 3.7kg               |



**AC 1600W Corded  
Rotary Hammer**  
**PDRE16.0-M-EU**

|                          |                   |
|--------------------------|-------------------|
| <b>Voltage</b>           | 110-230V ~50/60Hz |
| <b>Power</b>             | 1600W             |
| <b>No-load speed</b>     | 630RPM            |
| <b>Max Impact Rates</b>  | 3800BPM           |
| <b>Concrete</b>          | 42mm              |
| <b>Weight(Tool Only)</b> | 7.3kg             |





**450W Corded 10mm (3/8")  
Drill Driver**

**PDDE4.5-M-EU**

|                          |                      |
|--------------------------|----------------------|
| <b>Power</b>             | 450W                 |
| <b>Chuck Capacity</b>    | 10mm(3/8")           |
| <b>Capacity(mm)</b>      | Wood:25mm Metal:10mm |
| <b>Weight(Tool Only)</b> | 1.4kg                |



**800W Corded 26mm (1")  
Rotary Hammer**

**PDRE08-M-EU**

|                          |                      |
|--------------------------|----------------------|
| <b>Power</b>             | 800W                 |
| <b>Impact Energy</b>     | 3.0J                 |
| <b>Functions</b>         | 3                    |
| <b>Capacity(mm)</b>      | Wood:30mm Metal:13mm |
| <b>Weight(Tool Only)</b> | 2.6kg                |



**1050W Corded 26mm (1")  
Rotary Hammer**

**PDRE10.5-M-EU**

|                               |                   |
|-------------------------------|-------------------|
| <b>Power</b>                  | 1050W             |
| <b>Impact Energy</b>          | 4.5J              |
| <b>Max. Drilling Capacity</b> | Concrete 26mm(1") |
| <b>Weight(Tool Only)</b>      | 4.2kg             |



**1700W Corded  
Demolition Hammer**

**DHE17.0-M-EU**

|                          |               |
|--------------------------|---------------|
| <b>Power</b>             | 1700W         |
| <b>Impact Joules</b>     | 55J           |
| <b>Machine Size</b>      | 710x170x305mm |
| <b>Weight(Tool Only)</b> | 14.9kg        |



**550W/750W Corded  
13mm (1/2") Impact Drill**

**PDHE5.5-M-EU/  
PDHE7.5-M-EU**

|                          |                              |
|--------------------------|------------------------------|
| <b>Power</b>             | 550W/750W                    |
| <b>Chuck Capacity</b>    | 13mm(1/2")                   |
| <b>Capacity(mm)</b>      | Wood:25 Metal:13 Concrete:13 |
| <b>Weight(Tool Only)</b> | 1.9kg                        |



**900W Corded 32mm (1-1/4")  
Rotary Hammer**

**PDRE09-M-EU**

|                          |                      |
|--------------------------|----------------------|
| <b>Power</b>             | 1000W                |
| <b>Impact Energy</b>     | 3.2J                 |
| <b>Functions</b>         | 3                    |
| <b>Capacity(mm)</b>      | Wood:30mm Metal:13mm |
| <b>Weight(Tool Only)</b> | 3.1kg                |



**1300W Corded 13mm (1/2")  
Demolition Hammer**

**DHE13.0-M-EU**

|                          |            |
|--------------------------|------------|
| <b>Power</b>             | 1300W      |
| <b>Impact Joules</b>     | 20J        |
| <b>Chuck Capacity</b>    | 13mm(1/2") |
| <b>Weight(Tool Only)</b> | 6.8kg      |



**AC 2400W 355mm (14")  
Corded Cut-off Saw**  
**COSE24.0-M1-EU**

|                           |             |
|---------------------------|-------------|
| <b>Voltage</b>            | 230V 50Hz   |
| <b>Power</b>              | 2400W       |
| <b>Bore diameter</b>      | 25.4mm      |
| <b>No Load Rates</b>      | 3900RPM     |
| <b>Saw blade diameter</b> | 355mm (14") |
| <b>Weight (Tool Only)</b> | 19kg        |



**AC 1800W 7J Corded  
Rotary Hammer**  
**PDRE18.0-M-EU**

|                           |  |
|---------------------------|--|
| <b>Voltage</b>            | 230V 50Hz                              |
| <b>Power</b>              | 1800W                                  |
| <b>Capacity</b>           | Stell:13mm, Wood:42mm<br>Concrete 42mm |
| <b>Max Impact Rates</b>   | 4400BPM                                |
| <b>Weight (Tool Only)</b> | 5.2kg                                  |



**AC 2600W Electric  
Silent Shredder**  
**SDE28-M-EU**

|                           |                        |
|---------------------------|------------------------|
| <b>Voltage</b>            | 230-240V 50Hz          |
| <b>Power</b>              | S1:2300W/S6:2800(P40)W |
| <b>Cutting Diameter</b>   | 45mm                   |
| <b>No-Load Speed</b>      | 50RPM                  |
| <b>Cable Length</b>       | Built-in plug          |
| <b>Weight (Tool Only)</b> | 19.2kg                 |



**AC 2400W 70L Vacuum  
Cleaner**  
**VCE24.0-M-EU**

|                           |                  |
|---------------------------|------------------|
| <b>Voltage</b>            | 220-240V-50/60Hz |
| <b>Power</b>              | 2400W            |
| <b>Capacity</b>           | 70L              |
| <b>Vacuum</b>             | 17Kpa            |
| <b>Hose DIA</b>           | 40mm             |
| <b>Noise</b>              | 82db             |
| <b>Weight (Tool Only)</b> | 19kg             |



**AC 3100W 190bar (2755PSI)  
High Pressure Washer**  
**HPWE31.0-M-EU**

|                           |                   |
|---------------------------|-------------------|
| <b>Voltage</b>            | 220-240V-50Hz     |
| <b>Power</b>              | 3100W             |
| <b>Max.Flow</b>           | 11.0L/min         |
| <b>Max. Pressure</b>      | 190bar (2755 PSI) |
| <b>Weight (Tool Only)</b> | 25.6kg            |



**AC 3100W 190bar (2755PSI)  
High Pressure Washer**  
**HPWE31.0-M1-EU**

|                           |                   |
|---------------------------|-------------------|
| <b>Voltage</b>            | 220-240V-50Hz     |
| <b>Power</b>              | 3100W             |
| <b>Max.Flow</b>           | 11.0L/min         |
| <b>Max. Pressure</b>      | 190bar (2755 PSI) |
| <b>Rated Pressure</b>     | 130bar            |
| <b>Weight (Tool Only)</b> | 28.8kg            |



**2000-PSI 1.2-GPM Cold Water  
Electric Pressure Washer**

**HPWE13-M2**

|                                 |                      |
|---------------------------------|----------------------|
| <b>Voltage</b>                  | 120V-60Hz            |
| <b>Rated Power(Amperage)</b>    | 13A, Universal motor |
| <b>Pump Type</b>                | Axial cam            |
| <b>Rated Pressure</b>           | 2000PSI              |
| <b>Rated Gallons per Minute</b> | 1.2GPM               |
| <b>Weight(Tool Only)</b>        | 23.9Lbs(10.8kg)      |



**2300-PSI 1.2-GPM Cold Water  
Electric Pressure Washer**

**HPWE14-M**

|  |   |
|--|---|
| <b>Voltage</b>                         | 120V-60Hz   |
| <b>Rated Power(Amperage)</b>           | 14A Universal Motor   |
| <b>Pump Type</b>                       | Axial cam   |
| <b>Rated Pressure</b>                  | 2300PSI   |
| <b>Rated Gallons Per Minute</b>        | 1.2 GPM   |
| <b>Hose Length</b>                     | 25 Feet(7.6m)   |
| <b>Cord Length</b>                     | 35 Feet(10.7m)  |
| <b>Wheel Size</b>                      | 8"(20cm)  |
| <b>Included Accessories</b>            | 5-Quick connect nozzles (15° 25°,40°,Soap and turbo),High-Pressure Hose, Needle clean-out tool,Metal wand |
| <b>Maximum Inlet Water Temperature</b> | Cold-104 °F (40 °C)   |
| <b>Weight(Tool Only)</b>               | 35 Lbs (15.9kg)   |



**2700-PSI 2.5-GPM Cold Water  
Electric Pressure Washer**

**HPWE15-H**

|  |   |
|--|---|
| <b>Voltage</b>                         | 120V-60Hz   |
| <b>Rated Power(Amperage)</b>           | 15A/Brushless motor   |
| <b>Pump Type</b>                       | Axial cam   |
| <b>Max Pressure</b>                    | 2700PSI   |
| <b>Max Gallons Per Minute</b>          | 2.5 GPM (100PSI with AquaSurge )  |
| <b>Rated Gallons Per Minute</b>        | 1.1GPM (Higher PSI)   |
| <b>Hose Length</b>                     | 25 Feet(7.6m)   |
| <b>Cord Length (Feet)</b>              | 35 Feet(10.7m)  |
| <b>Wheel Size</b>                      | 10" (25cm)  |
| <b>Included Accessories</b>            | 6-Quick connect nozzles(15° 25°, 40°,AquaSurge,Soap and turbo) , High-Pressure Hose, Needle clean-out tool,Metal wand |
| <b>Maximum Inlet Water Temperature</b> | Cold-104 °F (40 °C)   |
| <b>Weight(Tool Only)</b>               | 45 Lbs(20.4kg)  |



**3000-PSI 2.5-GPM Cold Water  
Electric Pressure Washer**

**HPWE15-H1**

|  |  |
|--|--|
| <b>Voltage</b>                         | 120V-60Hz  |
| <b>Rated Power(Amperage)</b>           | 15A/Brushless motor  |
| <b>Pump Type</b>                       | Axial cam  |
| <b>Max Pressure</b>                    | 3000PSI  |
| <b>Max Gallons Per Minute</b>          | 2.5 GPM(100PSI with AquaSurge)   |
| <b>Rated Gallons Per Minute</b>        | 1.1 GPM (Higher PSI)   |
| <b>Hose Length</b>                     | 25 Feet(7.6m)  |
| <b>Cord Length (Feet)</b>              | 35 Feet(10.7m)   |
| <b>Wheel Size</b>                      | 10" (25cm)   |
| <b>Included Accessories</b>            | 6-Quick connect nozzles (15° 25°, 40°,AquaSurge,Soap and turbo) , High-Pressure Hose, Needle clean-out tool,Metal wand |
| <b>Maximum Inlet Water Temperature</b> | Cold-104 °F (40 °C)  |
| <b>Weight(Tool Only)</b>               | 42 Lbs (19kg)  |





**550W Corded  
20mm (13/16") Jig Saw  
PSJE5.5-M-EU**

|                          |   |
|--------------------------|---|
| <b>Power</b>             | 550W  |
| <b>Stroke Length</b>     | 20mm(13/16")                                |
| <b>Cutting Capacity</b>  | Wood: 65mm<br>Aluminium: 10mm<br>Steel: 8mm |
| <b>Weight(Tool Only)</b> | 2.1kg                                       |



**750W Corded  
20mm (13/16") Jig Saw  
PSJE7.5-M-EU**

|                          |   |
|--------------------------|---|
| <b>Power</b>             | 750W  |
| <b>Stroke Length</b>     | 20mm(13/16")                                |
| <b>Cutting Capacity</b>  | Wood: 65mm<br>Aluminium: 10mm<br>Steel: 8mm |
| <b>Weight(Tool Only)</b> | 2.1kg                                       |



**600W 82mm (3-1/4")  
Planer  
PPE6.0-M-EU**

|                          |              |
|--------------------------|--------------|
| <b>Power</b>             | 600W         |
| <b>No-load Speed</b>     | 16300RPM     |
| <b>Max Planing Width</b> | 82mm(3-1/4") |
| <b>Max Planing Depth</b> | 0-2mm        |
| <b>Weight(Tool Only)</b> | 3.2kg        |



**510W Corded  
6mm (1/4") Router  
PRE5.1-M-EU**

|                             |             |
|-----------------------------|-------------|
| <b>Power</b>                | 510W        |
| <b>Cutter Head Diameter</b> | 6mm(1/4")   |
| <b>Weight (Tool Only)</b>   | 1.6kg       |
| <b>Machine Size</b>         | 215*72*95mm |



**240W Corded 100x115mm  
(4"x4-1/2") Sheet Sander  
PSE2.4-M-EU**

|                          |                      |
|--------------------------|----------------------|
| <b>Power</b>             | 240W                 |
| <b>Sanding Pad Dia</b>   | 100X115mm(4"X4-1/2") |
| <b>No-load Speed</b>     | 13500RPM             |
| <b>Machine Size</b>      | 165*125*145mm        |
| <b>Weight(Tool Only)</b> | 3.2kg                |



**350W Corded  
125mm (5") Orbital Sander  
PSE3.5-M-EU**

|                           |               |
|---------------------------|---------------|
| <b>Power</b>              | 350W          |
| <b>Sanding Pad Dia</b>    | 125mm(5")     |
| <b>Weight (Tool Only)</b> | 1.5kg         |
| <b>Machine Size</b>       | 165*125*145mm |



### 120A Electric Welding **PEW-120A**

|                            |                |
|----------------------------|----------------|
| <b>Rated Input Voltage</b> | AC 220V        |
| <b>Frequency</b>           | 50/60Hz Rated  |
| <b>Input Current</b>       | 24A            |
| <b>Output Current</b>      | 20-120A        |
| <b>Rated Duty Cycle</b>    | 20% @120A@40°C |



### 140A Electric Welding **PEW-140A**

|                         |                |
|-------------------------|----------------|
| <b>Frequency</b>        | 50/60Hz Rated  |
| <b>Input Current</b>    | 29A            |
| <b>Output Current</b>   | 20-140A        |
| <b>Rated Duty Cycle</b> | 20% @140A@40°C |



### 160A Electric Welding **PEW-160A**

|                            |                |
|----------------------------|----------------|
| <b>Rated Input Voltage</b> | AC 240V        |
| <b>Frequency</b>           | 60Hz Rated     |
| <b>Input Current</b>       | 30A at 240V    |
| <b>Output Current</b>      | 20-160A        |
| <b>Rated Duty Cycle</b>    | 20% @160A@40°C |



### 200A Electric Welding **PEW-200A**

|                            |                |
|----------------------------|----------------|
| <b>Rated Input Voltage</b> | AC 240V        |
| <b>Frequency</b>           | 60Hz Rated     |
| <b>Input Current</b>       | 40A at 240V    |
| <b>Output Current</b>      | 20-200A        |
| <b>Rated Duty Cycle</b>    | 30% @200A@40°C |

 **SENIX** | AC Corded

# **TAKE THE ASHES OUT**

**OF YOUR ACRES**







**AC 1800W 35cm(14'')**  
**Chainsaw**

**CSE18-L-EU**

|                          |               |
|--------------------------|---------------|
| <b>Voltage</b>           | 220V~240V     |
| <b>Power</b>             | 1800W         |
| <b>Chain Speed</b>       | 14m/s         |
| <b>Bar&amp;Chain</b>     | 9.53mm(3/8'') |
| <b>Bar Length</b>        | 35cm(14'')    |
| <b>Weight(Tool Only)</b> | 3.6kg         |



**AC 2000W 35cm(14'')**  
**Chainsaw**

**CSE20-M4-EU**

|                          |               |
|--------------------------|---------------|
| <b>Voltage</b>           | 220V~240V     |
| <b>Power</b>             | 2000W         |
| <b>Chain Speed</b>       | 15.2m/s       |
| <b>Bar&amp;Chain</b>     | 9.53mm(3/8'') |
| <b>Bar Length</b>        | 35cm(14'')    |
| <b>Weight(Tool Only)</b> | 5.2kg         |



**AC 2200W 40cm(16'')**  
**Chainsaw**

**CSE22-M4-EU**

|                          |               |
|--------------------------|---------------|
| <b>Voltage</b>           | 220V~240V     |
| <b>Power</b>             | 2200W         |
| <b>Chain Speed</b>       | 15.2m/s       |
| <b>Bar&amp;Chain</b>     | 9.53mm(3/8'') |
| <b>Bar Length</b>        | 40cm(16'')    |
| <b>Weight(Tool Only)</b> | 5.4kg         |



**AC 2400W 45cm(18'')**  
**Chainsaw**

**CSE24-M2-EU**

|                          |            |
|--------------------------|------------|
| <b>Voltage</b>           | 220V~240V  |
| <b>Power</b>             | 2400W      |
| <b>Chain Speed</b>       | 15.2m/s    |
| <b>Bar Length</b>        | 45cm(18'') |
| <b>Weight(Tool Only)</b> | 5.6kg      |



**AC 2200W 45cm(18'')**  
**Chainsaw**

**CSE22-M-EU**

|                          |                |
|--------------------------|----------------|
| <b>Voltage</b>           | 220V~240V 50Hz |
| <b>Power</b>             | 2200W          |
| <b>Chain Speed</b>       | 14.5m/s        |
| <b>Bar &amp;Chain</b>    | 9.53mm(3/8'')  |
| <b>Bar Length</b>        | 45cm(18'')     |
| <b>Weight(Tool Only)</b> | 5.1kg          |



**AC 2000W 40cm(16'')**  
**Chainsaw**

**CSE20-M1-EU**

|                          |                |
|--------------------------|----------------|
| <b>Voltage</b>           | 220V~240V 50Hz |
| <b>Power</b>             | 2000W          |
| <b>Chain Speed</b>       | 14.5m/s        |
| <b>Bar &amp;Chain</b>    | 9.53mm(3/8'')  |
| <b>Bar Length</b>        | 40cm (16'')    |
| <b>Weight(Tool Only)</b> | 4.8kg          |



**AC 1800W 35cm(14")  
Chainsaw**  
**CSE18-M-EU**

|                          |                |
|--------------------------|----------------|
| <b>Voltage</b>           | 220V~240V 50Hz |
| <b>Power</b>             | 1800W          |
| <b>Chain Speed</b>       | 14.5m/s        |
| <b>Bar&amp;Chain</b>     | 9.53mm(3/8")   |
| <b>Bar Length</b>        | 35cm (14")     |
| <b>SDS Tensioning</b>    | Yes            |
| <b>Lubrication Type</b>  | Automatic      |
| <b>Weight(Tool Only)</b> | 4.9 kg         |



**AC 2000W 40cm(16")  
Chainsaw**  
**CSE20-M2-EU**

|                          |                |
|--------------------------|----------------|
| <b>Voltage</b>           | 220V~240V 50Hz |
| <b>Power</b>             | 2000W          |
| <b>Chain Speed</b>       | 14.5m/s        |
| <b>Bar&amp;Chain</b>     | 9.53mm(3/8")   |
| <b>Bar Length</b>        | 40cm (16")     |
| <b>Weight(Tool Only)</b> | 5.0 kg         |



**AC 2200W 40cm(16")  
Chainsaw**  
**CSE22-M3-EU**

|                          |              |
|--------------------------|--------------|
| <b>Voltage</b>           | 230V 50Hz    |
| <b>Power</b>             | 2200W        |
| <b>No-Load Speed</b>     | 8500RPM      |
| <b>Chain Speed</b>       | 16m/s        |
| <b>Bar &amp;Chain</b>    | 9.53mm(3/8") |
| <b>Bar Length</b>        | 40cm (16")   |
| <b>Oil Tank</b>          | 140ml        |
| <b>Weight(Tool Only)</b> | 4.9kg        |



**AC 2400W 45cm(18")  
Chainsaw**  
**CSE24-M1-EU**

|                               |              |
|-------------------------------|--------------|
| <b>Voltage</b>                | 230V 50Hz    |
| <b>Power</b>                  | 2400W        |
| <b>No-Load Speed</b>          | 8500RPM      |
| <b>Chain Speed</b>            | 16m/s        |
| <b>Bar &amp;Chain</b>         | 9.53mm(3/8") |
| <b>Chain &amp; Bar Length</b> | 45cm(18")    |
| <b>Oil Tank</b>               | 140ml        |
| <b>Weight(Tool Only)</b>      | 5.1kg        |



**AC 750W 25cm(10")  
Pole Saw**  
**CSPE08-L1-EU**

|                                 |                |
|---------------------------------|----------------|
| <b>Voltage</b>                  | 220-240V /50HZ |
| <b>Rated Output Power</b>       | 750W           |
| <b>No Load Speed</b>            | 5700RPM        |
| <b>Chain Speed</b>              | 10.5m/s        |
| <b>Chain &amp; Bar Length</b>   | 25cm(10")      |
| <b>Machine Telescoping Size</b> | 1.5-3m         |
| <b>Oil Tank</b>                 | 75ml           |



**AC 750W 20cm (8")  
Pole Saw**  
**CSPE7.5-M1-EU**

|                          |                |
|--------------------------|----------------|
| <b>Voltage</b>           | 220V~240V 50Hz |
| <b>Power</b>             | 750W           |
| <b>No Load Speed</b>     | 6000RPM        |
| <b>Chain Speed</b>       | 11m/s          |
| <b>Bar Length</b>        | 20cm           |
| <b>Telescopic Pole</b>   | 1.92~2.6m      |
| <b>Weight(Tool Only)</b> | 3.6kg          |



**AC Brush Cutter**  
**BCUE12-L-EU**

|                              |                |
|------------------------------|----------------|
| <b>Voltage</b>               | 220V~240V 50Hz |
| <b>Power</b>                 | 1200W          |
| <b>No Load Speed</b>         | 6500RPM        |
| <b>Line Cutting Capacity</b> | 340mm          |
| <b>Line Diameter</b>         | 2X2.0mm        |
| <b>Split Shaft</b>           | Yes,2 pieces   |
| <b>Weight(Tool Only)</b>     | 4.9kg          |



**AC Brush Cutter**  
**BCPE12-L-EU**

|                               |                |
|-------------------------------|----------------|
| <b>Voltage</b>                | 220V~240V 50Hz |
| <b>Power</b>                  | 1200W          |
| <b>No Load Speed</b>          | 6500RPM        |
| <b>Line Cutting Capacity</b>  | 340mm          |
| <b>Line Diameter</b>          | 2X2.0mm        |
| <b>Blade Type</b>             | 4 Teeth        |
| <b>Blade Cutting Capacity</b> | 230mm          |
| <b>Cable Length</b>           | 0.25m          |
| <b>Weight(Tool Only)</b>      | 4.9kg          |



**AC 1200w 34cm (13")**  
**Brush Cutter**  
**BCUE12-M-EU**

|                               |                |
|-------------------------------|----------------|
| <b>Voltage</b>                | 220~240V /50Hz |
| <b>Power</b>                  | 1200W          |
| <b>No Load Speed</b>          | 6500RPM        |
| <b>Line Cutting Capacity</b>  | 34cm (13")     |
| <b>Line Diameter</b>          | 2.5mm*2        |
| <b>Line Feeding</b>           | bump           |
| <b>Blade Type</b>             | 4 Teeth        |
| <b>Blade Cutting Capacity</b> | 23cm           |
| <b>Handle Type</b>            | U              |
| <b>Cable Length</b>           | 0.25m          |



**AC Grass Trimmer**  
**GTE10-L-EU**

|                          |                |
|--------------------------|----------------|
| <b>Voltage</b>           | 220V~240V 50Hz |
| <b>Power</b>             | 1000W          |
| <b>No Load Speed</b>     | 7000RPM        |
| <b>Cutting Capacity</b>  | 340mm          |
| <b>Line Diameter</b>     | 2X2.0mm        |
| <b>Weight(Tool Only)</b> | 4.9kg          |



**250W Corded**  
**25cm (10") Grass Trimmer**  
**GTE2.5-L-EU**

|                          |                     |
|--------------------------|---------------------|
| <b>Power</b>             | 250W                |
| <b>Cutting Capacity</b>  | 25cm(10")           |
| <b>Line Diameter</b>     | 1*1.4mm             |
| <b>Line Feeding</b>      | Semi-automatic feed |
| <b>Shaft Type</b>        | Straight            |
| <b>Weight(Tool Only)</b> | 1.8kg               |



**300W Corded**  
**25cm (10") Grass Trimmer**  
**GTE3.0-L-EU**

|                          |                     |
|--------------------------|---------------------|
| <b>Power</b>             | 300W                |
| <b>Cutting Capacity</b>  | 25cm(10")           |
| <b>Line Diameter</b>     | 1*1.6mm             |
| <b>Line Feeding</b>      | Semi-automatic feed |
| <b>Shaft Type</b>        | Straight            |
| <b>Weight(Tool Only)</b> | 1.8kg               |





**AC Pole Hedge Trimmer**  
**HTPe5.0-M-EU**

|                           |           |
|---------------------------|-----------|
| <b>Voltage</b>            | 230V      |
| <b>Rated Output Power</b> | 500W      |
| <b>No Load Speed</b>      | 3500SPM   |
| <b>Blade Length</b>       | 500mm     |
| <b>Cutting Length</b>     | 466mm     |
| <b>Tooth Space</b>        | 28mm      |
| <b>Cutting Capacity</b>   | 18mm      |
| <b>Collapsing Height</b>  | 2300mm    |
| <b>Angle Modulation</b>   | -60°~+90° |
| <b>Weight(Tool Only)</b>  | 3.6kg     |



**AC 2200W 658m³/h (380CFM)**  
**Blower Vac**  
**BLVE22-M-EU**

|                          |                 |
|--------------------------|-----------------|
| <b>Voltage</b>           | 230V 50Hz       |
| <b>Power</b>             | 2200W           |
| <b>Max Air Speed</b>     | 65m/s           |
| <b>Max Air Volume</b>    | 648m³/h(380CFM) |
| <b>No-load Speed</b>     | 14000±10%RPM    |
| <b>Collection Bag</b>    | 35L             |
| <b>Weight(Tool Only)</b> | 3.2kg           |



**AC 1400W 1200m³/h (706CFM)**  
**Blower**  
**BLAE14-M-EU**

|                          |                   |
|--------------------------|-------------------|
| <b>Voltage</b>           | 220V~240V 50Hz    |
| <b>Motor Type</b>        | 1400W             |
| <b>Wind Speed</b>        | 50m/s             |
| <b>Wind Volume</b>       | 1200m³/h (706CFM) |
| <b>Weight(Tool Only)</b> | 3.2kg             |



**1400W Corded 40cm (16")**  
**Cultivator / Tiller**  
**TLE14-M-EU**

|                          |           |
|--------------------------|-----------|
| <b>Power</b>             | 1400W     |
| <b>No-Load Speed</b>     | 3700RPM   |
| <b>Working Width</b>     | 40cm(16") |
| <b>Working Depth</b>     | 20cm      |
| <b>Weight(Tool Only)</b> | 12.5kg    |



**AC 2200W 720m³/h(425CFM)**  
**Blower Vac**  
**BLVE22-M1-EU**

|                          |                  |
|--------------------------|------------------|
| <b>Voltage</b>           | 230V 50Hz        |
| <b>Power</b>             | 2600W            |
| <b>Max Air Speed</b>     | 80m/s            |
| <b>Max Air Volume</b>    | 720m³/h (425CFM) |
| <b>No-load Speed</b>     | 15000±10%RPM     |
| <b>Collection Bag</b>    | 45L              |
| <b>Weight(Tool Only)</b> | 3.2kg            |



**AC 450w 38cm(15")**  
**Hedge Trimmer**  
**HTE4.5-L-EU**

|                               |                 |
|-------------------------------|-----------------|
| <b>Voltage</b>                | 220-240V / 50Hz |
| <b>Power</b>                  | 450W            |
| <b>No Load Speed</b>          | 3800 SPM        |
| <b>Blade Cutting Length</b>   | 380mm(15")      |
| <b>Blade Cutting Capacity</b> | 18mm            |
| <b>Tooth Space</b>            | 28mm            |
| <b>Blade Action</b>           | Dual action     |
| <b>Motor Type</b>             | Universal motor |
| <b>Blade Protection Tip</b>   | No              |



**AC 1600W 38cm(15")**  
**Electric Lawn Scarifier & Baker**  
**SCE16-L-EU**

|                                    |  |
|------------------------------------|--|
| <b>Voltage</b>                     | 220-240V 50Hz                              |
| <b>Power</b>                       | 1600W                                      |
| <b>No-Load Speed</b>               | 3000RPM                                    |
| <b>Working Width</b>               | 38cm(15")                                  |
| <b>Working Depth</b>               | -10mm to +10mm                             |
| <b>Adjustable Height Positions</b> | 5 Settings                                 |
| <b>Axle Type</b>                   | One Axle of Scarifier<br>One Axle of Raker |
| <b>Collection Bag</b>              | 50L  |
| <b>Weight(Tool Only)</b>           | 10kg                                       |



**AC 1200W 32cm (12.6")**  
**Lawn Mower**  
**LPPE12-L-EU**

|                          |                     |
|--------------------------|---------------------|
| <b>Voltage</b>           | 220-240V 50Hz       |
| <b>Power</b>             | 1200W               |
| <b>Cutting Capacity</b>  | 32cm (12.6")        |
| <b>Height Adjustment</b> | 20-70mm,6 positions |
| <b>Rear Collection</b>   | 30L                 |
| <b>Weight(Tool Only)</b> | 6.5kg               |



**AC 1600W 38cm (15")**  
**Lawn Mower**  
**LPPE16-M1-EU**

|                          |                       |
|--------------------------|-----------------------|
| <b>Voltage</b>           | 220-240V 50Hz         |
| <b>Power</b>             | 1600W                 |
| <b>No Load Speed</b>     | 3500RPM               |
| <b>Cutting Capacity</b>  | 38cm (15")            |
| <b>Height Adjustment</b> | 25mm-75mm,6 positions |
| <b>Wheel Size (F/R)</b>  | 16cm/18cm             |
| <b>Rear Collection</b>   | 45L                   |
| <b>Weight(Tool Only)</b> | 14.7kg                |



**AC 1400W 34cm (13")**  
**Lawn Mower**  
**LPPE14-L1-EU**

|                          |                       |
|--------------------------|-----------------------|
| <b>Voltage</b>           | 220-240V 50Hz         |
| <b>Power</b>             | 1400W                 |
| <b>Cutting Capacity</b>  | 34cm (13.3")          |
| <b>Height Adjustment</b> | 25mm-75mm,6 positions |
| <b>Rear Collection</b>   | 35L                   |
| <b>Weight(Tool Only)</b> | 8kg                   |



**AC 2000W 43cm (17")**  
**Lawn Mower**  
**LPPE20-M-EU**

|                          |                       |
|--------------------------|-----------------------|
| <b>Voltage</b>           | 220-240V 50Hz         |
| <b>Power</b>             | 2000W                 |
| <b>No Load Speed</b>     | 3300RPM               |
| <b>Cutting Capacity</b>  | 43cm (17")            |
| <b>Height Adjustment</b> | 25mm-75mm,6 positions |
| <b>Wheel Size (F/R)</b>  | 18cm/22cm             |
| <b>Rear Collection</b>   | 50L                   |
| <b>Weight(Tool Only)</b> | 16.2kg                |



**1000W Corded  
32cm (12.6") Lawn Mower**  
**LPP10-L-EU**

|                          |                     |
|--------------------------|---------------------|
| <b>Power</b>             | 1000W               |
| <b>Cutting Width</b>     | 32cm(12.6")         |
| <b>Cutting Heights</b>   | 20-65mm,3 positions |
| <b>Wheels Size</b>       | 14cm                |
| <b>Rear Collection</b>   | 30L                 |
| <b>Weight(Tool Only)</b> | 5.8kg               |



**1400W Corded 34cm(13")  
Lawn Mower**  
**LPPE14-M-EU**

|                          |                     |
|--------------------------|---------------------|
| <b>Power</b>             | 1400W               |
| <b>Cutting Width</b>     | 34cm(13.3")         |
| <b>Cutting Heights</b>   | 20-70mm,6 positions |
| <b>Wheels Size</b>       | 14/16cm             |
| <b>Rear Collection</b>   | 35L                 |
| <b>Weight(Tool Only)</b> | 8kg                 |



**1600W Corded  
38cm (15") Lawn Mower**  
**LPPE16-M-EU**

|                          |                       |
|--------------------------|-----------------------|
| <b>Power</b>             | 1600W                 |
| <b>Cutting Width</b>     | 38cm(15")             |
| <b>Cutting Heights</b>   | 25mm-75mm,6 positions |
| <b>Wheels Size</b>       | 16/18cm               |
| <b>Rear Collection</b>   | 45L                   |
| <b>Weight(Tool Only)</b> | 8.5kg                 |

























**1800W Corded 42cm(16.5")  
Lawn Mower**  
**LPPE18-M-EU**



|                        |                     |
|------------------------|---------------------|
| <b>Power</b>           | 1800W               |
| <b>Cutting Width</b>   | 42cm (16-1/2")      |
| <b>Cutting Heights</b> | 20-70mm,6 positions |
| <b>Wheels Size</b>     | 16/22cm             |
| <b>Collection Bag</b>  | half/half 50L       |






## IMPACT WRENCH ACCESSORY

|   | Type                 | Part Number | Shank  | Length                  | Notes  |
|---|----------------------|-------------|--|-------------------------|--|
|    | 11Pcs<br>Black Ninja | AEBS-0001   |                      | Bit 25mm<br>Holder 50mm | Various drill bits for terminal user<br><br>Plastic Box for convenient storage |
|    | 11Pcs Silver Knight  | AEBS-0002   |                      | Bit 25mm<br>Holder 50mm |  |
|    | 32Pcs bit set        | AEBS-0003   |                      | Bit 25mm<br>Holder 50mm |  |
|    | Drills For stone     | AEDB-0059   | 1/4"shank<br>        | 80mm                    | High quality materials used for fast remove and long life                      |
|   |                      | AEDB-0063   |  | 120mm                   |  |
|    |                      | AEDB-0064   | Straight shank<br>   | 80mm                    |  |
|   |                      | AEDB-0068   |  | 120mm                   |  |
|  | Drill for metal      | AEDB-0001   | 1/4"shank<br>      | 95mm                    | HSS materials for long life  |
|   |                      | AEDB-0008   |  | 161mm                   |  |
|  |                      | AEDB-0009   | 1/4"shank<br>      | 95mm                    | Titanize coating high class goods for fast remove & long life                  |
|   |                      | AEDB-0016   |  | 161mm                   |  |
|  | Drill for wood       | AEDW-0001   | Straight shank<br> | 78mm                    | For wood hole size less  |
|   |                      | AEDW-0008   |  | 162mm                   |  |
|  |                      | AEDW-0017   | 1/4"shank<br>      | 152mm                   | Fast remove and long life  |
|   |                      | AEDW-0033   |  | 152mm                   |  |
|  |                      | AEDW-0051   | 1/4"shank<br>      | 150mm                   | For wood drilling (pine/ cedarwood/ MDF/ rosewood)<br>Material: HCS            |
|   |                      | AEDW-0059   |  | 150mm                   |  |
|  |                      | AEDW-0060   | 1/4"shank<br>      | 200mm                   |  |
|   |                      | AEDW-0074   |  | 200mm                   |  |





## IMPACT WRENCH ACCESSORY

|   | Head size | Part Number | Shank      | Length | Notes   |
|---|-----------|-------------|------------|--------|---|
|  | 8         | AEIW-0001   | 1/2" shank | 23mm   | Used for impact wrench<br><br>High quality Cr Mo material, longer tool life |
|   | 12        | AEIW-0004   |            | 25mm   |   |
|   | 16        | AEIW-0007   |            | 32mm   |   |
|   | 19        | AEIW-0010   |            | 35mm   |   |
|   | 32        | AEIW-0016   |            | 35mm   |   |
|   | 17        | AEIW-0017   | 3/4" shank | 50mm   |   |
|   | 26        | AEIW-0027   |            | 52mm   |   |
|   | 36        | AEIW-0038   |            | 95mm   |   |



## SAW BLADE ACCESSORY

|  | Type  | Part Number | Hole | Diameter | Teeth |
|--|---|-------------|------|----------|-------|
|  | Cutting wood with nail<br> | AECS-0001   | 20mm | 140mm    | 24    |
|  |   | AECS-0002   | 20mm | 140mm    | 40    |
|  |   | AECS-0003   | 20mm | 165mm    | 24    |
|  |   | AECS-0004   | 20mm | 165mm    | 40    |
|  |   | AECS-0005   | 20mm | 190mm    | 24    |
|  |   | AECS-0006   | 20mm | 190mm    | 36    |
|  |   | AECS-0007   | 20mm | 190mm    | 60    |
|  |   | AECS-0008   | 20mm | 210mm    | 24    |
|  |   | AECS-0009   | 20mm | 210mm    | 36    |
|  |   | AECS-0010   | 30mm | 210mm    | 60    |
|  |   | AECS-0011   | 30mm | 235mm    | 24    |
|  |   | AECS-0012   | 30mm | 235mm    | 48    |
|  |   | AECS-0013   | 30mm | 235mm    | 60    |
|  |   | AECS-0014   | 20mm | 185mm    | 24    |
|  |   | AECS-0015   | 20mm | 185mm    | 36    |
|  |   | AECS-0016   | 20mm | 185mm    | 60    |
|  | Multifunctional cutting<br>such as Alu wood<br>sheet metal  | AECS-0031   | /    | 165mm    | 60    |
|  |   | AECS-0032   | /    | 185mm    | 60    |
|  |   | AECS-0037   | /    | 235mm    | 60    |
|  |   | AECS-0040   | /    | 260mm    | 120   |

## FLAP / STRIP DISC ACCESSORY


|  | Type                                  | Part Number | Hole    | Diameter | Grit          |
|--|---------------------------------------|-------------|---------|----------|---------------|
|   | Aluminum                              | AEFD-0001   | 16mm    | 100mm    | #40           |
|  |                                       | AEFD-0016   | 22.23mm | 180mm    | #120          |
|  | Zirconium                             | AEFD-0017   | 16mm    | 100mm    | #40           |
|  |                                       | AEFD-0032   | 22.23mm | 180mm    | #120          |
|   | Ceramic                               | AEFD-0033   | 16mm    | 100mm    | #40           |
|  |                                       | AEFD-0038   | 22.23mm | 115mm    | #60           |
|  |                                       | AEFD-0043   | 22.23mm | 125mm    | #80           |
|  |                                       | AEFD-0048   | 22.23mm | 180mm    | #120          |
|   | Special coating for grinding Aluminum | AEFD-0049~  | 16mm /  | 100mm ~  | #40/ #60/     |
|  |                                       | AEFD-0064   | 22.23mm | 180mm    | #80/ #120     |
|  | Soft/ Middle/Hard                     | AESD-0001   | 16mm    | 100mm    | Black (Hard)  |
|  |                                       | AESD-0005   | 22.23mm | 115mm    | Blue (Middle) |
|  |                                       | AESD-0009   | 22.23mm | 125mm    | Purple (Fine) |

## CUTTING / GRINDING WHEEL ACCESSORY




|   | Type   | Part Number  | Hole    | Diameter | Thickness |
|---|--|--------------|---------|----------|-----------|
|  | For cutting metal & INOX<br>Grit: WA46T          | AECW-0001    | 16mm    | 100mm    | 1mm       |
|   |  | AECW-0002    | 22.23mm | 115mm    | 1mm       |
|   |  | AECW-0003    | 22.23mm | 125mm    | 1mm       |
|   |  | AECW-0008    | 22.23mm | 180mm    | 1.8mm     |
|  | For cutting metal& INOX<br>Grit: WA46T 10Pcs/Can | AECW-0001-10 | 16mm    | 100mm    | 1mm       |
|   |  | AECW-0002-10 | 22.23mm | 115mm    | 1mm       |
|   |  | AECW-0003-10 | 22.23mm | 125mm    | 1mm       |
|  | Very fit on grinding metal & INOX                | AEGD-0001    | 16mm    | 100mm    | 6mm       |
|   |  | AEGD-0002    | 22.23mm | 115mm    |           |
|   |  | AEGD-0003    | 22.23mm | 125mm    |           |
|   |  | AEGD-0004    | 22.23mm | 180mm    |           |
|   |  | AEGD-0005    | 22.23mm | 230mm    |           |





## JIGSAW SAW BLADE ACCESSORY

|  | Type       | Part Number | Note    | TPI | Material |
|--|------------|-------------|---------|-----|----------|
|  | Fast wood  | AEJS-0001   | T144D   | 6   | HCS      |
|  | Fast wood  | AEJS-0002   | T244D   | 8   | HCS      |
|  | Fast wood  | AEJS-0003   | T344D   | 6   | HCS      |
|  | Clean wood | AEJS-0004   | T101B1  | 10  | HCS      |
|  | Clean wood | AEJS-0005   | T101B2  | 10  | HCS      |
|  | Clean wood | AEJS-0006   | T308B   | 12  | HCS      |
|  | Hard wood  | AEJS-0007   | T101BF  | 10  | BIM      |
|  | Hard wood  | AEJS-0008   | T101AIF | 14  | BIM      |

## RECIPROCATING SAW BLADE ACCESSORY

|  | Type                          | Part Number | Length | TIP   | Material |
|--|-------------------------------|-------------|--------|-------|----------|
|    | Basic wood                    | AERC-0001   | 150mm  | 6     | HCS      |
|  |                               | AERC-0002   | 230mm  | 6     |          |
|    | Saw blades for cutting branch | AERC-0003   | 230mm  | 5     |          |
|  |                               | AERC-0004   | 300mm  | 5     |          |
|  | Metal Basic                   | AERC-0003   | 150mm  | 18    | BIM      |
|  |                               | AERC-0004   | 225mm  | 18    |          |
|  |                               | AERC-0005   | 150mm  | 24    |          |
|  |                               | AERC-0006   | 225mm  | 24    |          |
|  |                               | AERC-0001   | 150mm  | 20-24 |          |
|  |                               | AERC-0002   | 225mm  | 20-24 |          |

## GUIDE CHAIN ACCESSORY

|  | Type  | Part Number | Length (Inch) | Links | Pitch  |
|--|-------|-------------|---------------|-------|--------|
|  | Bar   | AECS-0101   | 16"           | 56    | 3/8"   |
|  |       | AECS-0102   | 14"           | 50    | 3/8"   |
|  |       | AECS-0103   | 14"           | 52    | 3/8"   |
|  |       | AECS-0104   | 16"           | 57    | 3/8"   |
|  |       | AECS-0105   | 18"           | 62    | 3/8"   |
|  |       | AECS-0106   | 18"           | 72    | 0.325" |
|  |       | AECS-0107   | 5"            | 29    | 0.043" |
|  | Chain | AEGB-0001   | 16"           | 56    | 3/8"   |
|  |       | AEGB-0002   | 14"           | 52    | 3/8"   |
|  |       | AEGB-0003   | 14"           | 50    | 3/8"   |
|  |       | AEGB-0004   | 18"           | 62    | 3/8"   |
|  |       | AEGB-0005   | 18"           | 72    | 0.325" |
|  |       | AEGB-0006   | 16"           | 57    | 3/8"   |
|  |       | AEGB-0007   | 5"            | 29    | 0.043" |

## IMPACT WRENCH ACCESSORY

|   | Part Number | Notes                         | Tooth Type     | Head Width | Materials     |
|---|-------------|-------------------------------|----------------|------------|---------------|
|    | AEMS-0001   | Cutting Wood & Wood with Nail | Milling teeth  | 10mm       | BIM           |
|   | AEMS-0002   |                               |                | 20mm       | BIM           |
|   | AEMS-0003   |                               |                | 32mm       | BIM           |
|   | AEMS-0004   |                               |                | 45mm       | BIM           |
|   | AEMS-0005   |                               |                | 65mm       | BIM           |
|   | AEMS-0006   |                               |                | 87mm       | BIM           |
|   | AEMS-0007   | Cutting Wood                  | Grinding Teeth | 10mm       | HCS           |
|   | AEMS-0008   |                               |                | 20mm       | HCS           |
|   | AEMS-0009   |                               |                | 32mm       | HCS           |
|   | AEMS-0010   |                               |                | 45mm       | HCS           |
|   | AEMS-0011   |                               |                | 65mm       | HCS           |
|   | AEMS-0012   |                               |                | 87mm       | HCS           |
|  | AEMS-0013   | Relieving Tool                | Grinding Teeth | 28*50mm    | HCS           |
|   | AEMS-0014   |                               |                | 52*45mm    | HCS           |
|   | AEMS-0015   |                               |                | 50mm       | HCS           |
|  | AEMS-0016   | Sander Pad                    | Hook & loop    | 93mm       | EVA           |
|  | AEMS-0020   | Fine                          | Hook & loop    | 93mm       | Aluminum #60  |
|   | AEMS-0021   |                               |                | 93mm       | Aluminum #80  |
|   | AEMS-0022   |                               |                | 93mm       | Aluminum #120 |
|   | AEMS-0023   |                               |                | 93mm       | Aluminum #240 |



***UNSTOPPABLE***  
**POWER**





**PHONE**

0086-573-83389274



**INSTAGRAM**

senixtoolsglobal



**E-MAIL**

senix@senix.co



**FACEBOOK**

SENIX Global



**SENIX<sup>®</sup>**

senix.co